

Professionall

Solutii profesionale pentru echipamente profesionale



GAS COMPONENTS



ELECTRIC COMPONENTS



WATER TECHNOLOGY



MECHANICAL COMPONENTS



TOOLS




Spare parts suitable for




HEIDEBRENNER



heating elements

heating elements for ovens

			
1			
No.	415318	Ref. No.	92732
description	heating element 2000W 230V L 427mm W 138mm L1 50mm L2 377mm W1 54mm W2 30mm windings 2 connection plug-in connection heating circuits 1 tube ø 6.3mm rectangular flange dry heating element hole distance 56mm flange length 70mm flange width 23mm hole ø M4mm		
accessories for	415318		
	No.	550404	Ref. No. —
	power socket I-II phase 240V max. 16A countries I with screw connection for heating element		
	No.	550405	Ref. No. —
	power socket male faston 6.3mm for heating element 2-pole + earthing		


			
1			
No.	415320	Ref. No.	92734
description	heating element 3000W 230V L 350mm W 313mm L1 75mm L2 275mm W1 138mm W2 31mm connection plug-in connection heating circuits 1 tube ø 6.3mm rectangular flange dry heating element hole distance 57mm flange length 70mm flange width 22mm hole ø M4mm connection length 34mm		
accessories for	415320		
	No.	550404	Ref. No. —
	power socket I-II phase 240V max. 16A countries I with screw connection for heating element		
	No.	550405	Ref. No. —
	power socket male faston 6.3mm for heating element 2-pole + earthing		

radiation heaters

1-circuit			
			
1			
No.	490150	Ref. No.	94706
description	radiation heater ø 250mm 2500W 230V heating circuits 1 energy regulation with temperature signalization with heating coil connections 2+2 connection type male faston 6.3mm EGO		


hot plates

round

with cast brim			
with screw connection			
			
1			
No.	490107	Ref. No.	94201
description	hot plate ø 400mm 5000W 400V connection 4x 2 screw clamps with cast edge screw bolt H 42mm		


energy regulators

EGO

1-circuit			
			
1			
No.	380015	Ref. No.	94707
description	energy regulator 230V 13A single-circuit turn direction right shaft ø 6x4.6mm shaft L 23mm mounting thread M4 power release 6-100% no. 50.57021.010		

thermostats

control and safety thermostats

EGO			
control thermostats			
55.10/19_ series			
			
1			
No.	375313	Ref. No.	94229
description	thermostat t.max. 358°C temperature range 60-358°C 1-pole 1NO 16A probe ø 3.03mm probe L 178mm capillary pipe 870mm capillary pipe isolated 870mm gland nut shaft L 23mm shaft position upper rotation 270°		

safety thermostats

55.10/19_ series



No.	390061	Ref. No.	94306
description	safety thermostat switch-off temp. 220°C 1-pole 0.5A probe ø 6mm probe L 140mm capillary pipe 900mm capillary pipe isolatedmm gland nut probe M9x1		

accessories

gland nut accessories

ducts



No.	550271	Ref. No.	26001
description	gland duct ET M12x0.75 IT M9x1 with gasket and nut		

switches and momentary switches

cam switches

5-position




No.	300105	Ref. No.	94202
description	cam switch 5 operating positions 3NO/1CO sequence 0-1-2-3-4 32A shaft ø 6x4.6mm shaft L 23mm connection screw 5-position ceramic		

7-position



No.	300031	Ref. No.	94214
description	cam switch 7 operating positions 1NO/2CO sequence 0-1-2-3-4-5-6 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm 7-position plastic		

operation switches



No.	300067	Ref. No.	94215
description	cam switch 3 operating positions 4NO 16A sequence 0-1-2 shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm plastic		

lamps

indicator lights

indicator lights 3-piece (housing, lens and bulb)

lamps

neon light bulbs



No.	359602	Ref. No.	94232
description	neon light bulb socket E14 230V clear ø 14mm L 30mm		

screw-on/push-on fit

neon light bulbs



No.	359602	Ref. No.	94232
description	neon light bulb socket E14 230V clear ø 14mm L 30mm		

electric accessories

cables

copper wire

up to 200°C



No.	550074	Ref. No.	94428
description	copper wire 1mm ² permanent temperature -60 up to +200°C conductor nickel-plated copper wire insulation glass fibre braiding/silicone rubber Qty 10m brown t.max. 250°C rated 300/500V test voltage 2000V		



terminals and connectors

not insulated

female fastons

iron nickel-plated



1

No.	550001	Ref. No.	26009 93284
description	female faston size 6.3x0.8mm 1.0-2.5mm ² straight Fe gal Ni t.max. 340°C Qty 100 pcs		

terminals

connection terminals with screw/faston connections



1

No.	550109	Ref. No.	94351
description	power terminal block 3-pole max. 40A max 250V connection M6/ male faston 6.3mm temp.-resist. 130°C		

gas taps


PEL

23S/V series



1

No.	101630	Ref. No.	94600	
description	gas tap PEL type 23S/V gas inlet 1/2" IT bypass nozzle \varnothing 0.35mm gas outlet 1/2" MT (tube \varnothing 14mm) thermocouple connection M10x1 pilot connection M10x1 shaft \varnothing 10mm shaft L 25mm shaft flat			
spare parts for	101630			
	No.	100455	Ref. No.	—
	bypass nozzle type PEL23/24 bore \varnothing 0.35mm thread M8x0.5			
	No.	101059	Ref. No.	94615
	magnet unit T1: M10x1 T2: M22x1 L 46mm \varnothing 18mm suitable for PEL23S M10x1			
	No.	102767	Ref. No.	—
	gas tap front part shaft \varnothing 10mm shaft L 26.5mm shaft flat suitable for PEL23S			
accessories for	101630			
	No.	100908	Ref. No.	—
	union screw thread M10x1 for pipe \varnothing 4mm Qty 1 pcs			

accessories for	101630			
	No.	100909	Ref. No.	—
	union screw thread M10x1 for pipe \varnothing 6mm Qty 1 pcs			
	No.	100945	Ref. No.	—
	roll pin \varnothing 3.2mm L 10mm			
	No.	101218	Ref. No.	—
	shaft extension JUNKERS			
	No.	101219	Ref. No.	—
	shaft extension L 25mm JUNKERS			
	No.	101246	Ref. No.	—
	olive for pipe \varnothing 4mm Qty 1 pcs			
	No.	101286	Ref. No.	—
	olive ID \varnothing 6mm Qty 1 pcs			
	No.	110064	Ref. No.	93207
	knob			
	No.	110066	Ref. No.	—
	knob screw			
	No.	550396	Ref. No.	—
	shaft extension L 25mm JUNKERS			





alternatives to EGA








GPEL22 series

with nozzle outlet







1

No.	106676	Ref. No.	94444 Düse 2,0mm	
description	gas tap alternatives to EGA type GPEL22D nozzle outlet gas inlet M18x1.5 (tube \varnothing 12mm) external nozzle \varnothing 2mm internal nozzle \varnothing 1.3mm bypass nozzle \varnothing 0.55mm mixing pipe connection M22x1 thermocouple connection M8x1 pilot connection closed shaft \varnothing 9x6.5mm shaft L 26/15mm shaft flat upper and bottom			
spare parts for	106676			
	No.	100927	Ref. No.	—
	torsion spring L 2.8-8.0mm for internal nozzle \varnothing 3mm bore \varnothing mm			
	No.	101058	Ref. No.	93122
	magnet unit L 39mm D1 \varnothing 15.4mm D2 \varnothing 13.5mm suitable for PEL22/ EGA24197 standard			
	No.	101230	Ref. No.	—
	thermocouple nut T1: M8x1 T2: M18x1 aluminium			
	No.	101460	Ref. No.	—
	O-ring \varnothing 12.37mm D1 \varnothing 2.62mm suitable for PEL22			









spare parts for 106676				
	No.	101527	Ref. No.	—
O-ring Viton thickness 1.78mm ID ø 6.75mm Qty 1 pcs				
	No.	101594	Ref. No.	—
adjusting screw for internal nozzle thread M10x0.75				
accessories for 106676				
	No.	100944	Ref. No.	—
union nut thread M18x1.5 for pipe ø 12mm				
	No.	101273	Ref. No.	93107
olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal				
	No.	112173	Ref. No.	N/A
knob universal ø 62mm black without adaptor/dial plate				
	No.	112179	Ref. No.	N/A
knob adapter shaft ø 9x6.5mm L 0mm				
	No.	112285	Ref. No.	—
knob dial plate silver gas tap without ignition flame PEL20 t.max.°C ED ø 59mm ID ø 45.5mm				














				
1				
No.	106960	Ref. No.	94443	
description	gas tap alternatives to EGA type GPEL22D with nozzle outlet (with nozzle) gas inlet M18x1.5 (tube ø 12mm) external nozzle ø 3.1mm internal nozzle ø 1.8mm bypass nozzle ø 0.5mm mixing pipe connection M22x1 thermocouple connection M8x1 pilot connection M10x1 shaft ø 6.5x9mm shaft L 26/15mm shaft flat upper and bottom			
spare parts for 106960				
	No.	100390	Ref. No.	94452
bypass nozzle type PEL22 bore ø 0.5mm thread M6x0.5				
	No.	100908	Ref. No.	—
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs				
	No.	100927	Ref. No.	—
torsion spring L 2.8-8.0mm for internal nozzle ø 3mm bore ømm				
	No.	101058	Ref. No.	93122
magnet unit L 39mm D1 ø 15.4mm D2 ø 13.5mm suitable for PEL22/ EGA24197 standard				
	No.	101230	Ref. No.	—
thermocouple nut T1: M8x1 T2: M18x1 aluminium				
	No.	101246	Ref. No.	—
olive for pipe ø 4mm Qty 1 pcs				
	No.	101460	Ref. No.	—
O-ring ø 12.37mm D1 ø 2.62mm suitable for PEL22				
	No.	101527	Ref. No.	—
O-ring Viton thickness 1.78mm ID ø 6.75mm Qty 1 pcs				











spare parts for 106960				
	No.	101594	Ref. No.	—
adjusting screw for internal nozzle thread M10x0.75				
accessories for 106960				
	No.	100944	Ref. No.	—
union nut thread M18x1.5 for pipe ø 12mm				
	No.	101273	Ref. No.	93107
olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal				
	No.	110217	Ref. No.	—
knob gas tap with ignition flame ø 64mm shaft ø 9x7mm shaft flat horizontal black				



				
1				
No.	106040	Ref. No.	N/A	
description	gas tap alternatives to EGA type GPEL22D with nozzle outlet (without nozzle) gas inlet M18x1.5 (tube ø 12mm) external nozzle ømm internal nozzle ømm bypass nozzle ø 0.35mm mixing pipe connection M22x1 thermocouple connection M8x1 pilot connection closed shaft ø 9x6.5mm shaft L 34/15mm shaft flat upper and bottom			
spare parts for 106040				
	No.	100259	Ref. No.	—
bypass nozzle type PEL22 bore ø 0.35mm thread M6x0.5				
	No.	101058	Ref. No.	93122
magnet unit L 39mm D1 ø 15.4mm D2 ø 13.5mm suitable for PEL22/ EGA24197 standard				
	No.	101230	Ref. No.	—
thermocouple nut T1: M8x1 T2: M18x1 aluminium				
	No.	101823	Ref. No.	—
gas tap front part shaft ø 6x4.6mm shaft L 35/21mm shaft flat upper/lower suitable for PEL22				
accessories for 106040				
	No.	100944	Ref. No.	—
union nut thread M18x1.5 for pipe ø 12mm				
	No.	101273	Ref. No.	93107
olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal				








			
1			
No.	101625	Ref. No.	94412
description	gas tap alternatives to EGA type GPEL22D with nozzle outlet (without nozzle) gas inlet M18x1.5 (tube ø 12mm) external nozzle ømm internal nozzle ømm bypass nozzle ø 0.35mm mixing pipe connection M22x1 thermocouple connection M8x1 pilot connection M10x1 shaft ø 6.5x9mm shaft L 34/15mm shaft flat right and left		
spare parts for	101625		
	No.	100259	Ref. No.
	bypass nozzle type PEL22 bore ø 0.35mm thread M6x0.5		
	No.	100927	Ref. No.
	torsion spring L 2.8-8.0mm for internal nozzle ø 3mm bore ømm		
	No.	101058	Ref. No.
	magnet unit L 39mm D1 ø 15.4mm D2 ø 13.5mm suitable for PEL22/ EGA24197 standard		
	No.	101230	Ref. No.
	thermocouple nut T1: M8x1 T2: M18x1 aluminium		
	No.	101460	Ref. No.
	O-ring ø 12.37mm D1 ø 2.62mm suitable for PEL22		
	No.	101527	Ref. No.
	O-ring Viton thickness 1.78mm ID ø 6.75mm Qty 1 pcs		
	No.	101594	Ref. No.
	adjusting screw for internal nozzle thread M10x0.75		
	No.	101822	Ref. No.
	gas tap front part shaft ø 10x6.5mm shaft L 34/15mm shaft flat right/ left suitable for PEL22		
accessories for	101625		
	No.	100908	Ref. No.
	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs		
	No.	100909	Ref. No.
	union screw thread M10x1 for pipe ø 6mm Qty 1 pcs		
	No.	100944	Ref. No.
	union nut thread M18x1.5 for pipe ø 12mm		
	No.	101246	Ref. No.
	olive for pipe ø 4mm Qty 1 pcs		
	No.	101273	Ref. No.
	olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal		
	No.	101286	Ref. No.
	olive ID ø 6mm Qty 1 pcs		

			
1			
No.	106395	Ref. No.	94701
description	gas tap alternatives to EGA type GPEL22D with nozzle outlet (without nozzle) gas inlet M18x1.5 (tube ø 12mm) external nozzle ømm internal nozzle ømm bypass nozzle ø 0.35mm mixing pipe connection M22x1 thermocouple connection M8x1 pilot connection M10x1 shaft ø 6.5x9mm shaft L 34/15mm shaft flat right and left		
spare parts for	106395		
	No.	100259	Ref. No.
	bypass nozzle type PEL22 bore ø 0.35mm thread M6x0.5		
	No.	100927	Ref. No.
	torsion spring L 2.8-8.0mm for internal nozzle ø 3mm bore ømm		
	No.	101058	Ref. No.
	magnet unit L 39mm D1 ø 15.4mm D2 ø 13.5mm suitable for PEL22/ EGA24197 standard		
	No.	101230	Ref. No.
	thermocouple nut T1: M8x1 T2: M18x1 aluminium		
	No.	101460	Ref. No.
	O-ring ø 12.37mm D1 ø 2.62mm suitable for PEL22		
	No.	101527	Ref. No.
	O-ring Viton thickness 1.78mm ID ø 6.75mm Qty 1 pcs		
	No.	101594	Ref. No.
	adjusting screw for internal nozzle thread M10x0.75		
accessories for	106395		
	No.	100908	Ref. No.
	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs		
	No.	100909	Ref. No.
	union screw thread M10x1 for pipe ø 6mm Qty 1 pcs		
	No.	100944	Ref. No.
	union nut thread M18x1.5 for pipe ø 12mm		
	No.	101246	Ref. No.
	olive for pipe ø 4mm Qty 1 pcs		
	No.	101273	Ref. No.
	olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal		
	No.	101286	Ref. No.
	olive ID ø 6mm Qty 1 pcs		

			
No.	106678	Ref. No.	94701-01
description	gas tap alternatives to EGA type GPEL22D with nozzle outlet (without nozzle) gas inlet M18x1.5 (tube ø 12mm) external nozzle ømm internal nozzle ømm bypass nozzle ø 0.35mm mixing pipe connection M22x1 thermocouple connection M8x1 pilot connection M10x1 shaft ø 9x6.5mm shaft L 29/12mm shaft flat right and left shaft length knob 15mm		
spare parts for	106678		
	No.	100390	Ref. No. 94452
	bypass nozzle type PEL22 bore ø 0.5mm thread M6x0.5		
	No.	101058	Ref. No. 93122
	magnet unit L 39mm D1 ø 15.4mm D2 ø 13.5mm suitable for PEL22/ EGA24197 standard		
	No.	101230	Ref. No. —
	thermocouple nut T1: M8x1 T2: M18x1 aluminium		
accessories for	106678		
	No.	100908	Ref. No. —
	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs		
	No.	100909	Ref. No. —
	union screw thread M10x1 for pipe ø 6mm Qty 1 pcs		
	No.	100944	Ref. No. —
	union nut thread M18x1.5 for pipe ø 12mm		
	No.	101246	Ref. No. —
	olive for pipe ø 4mm Qty 1 pcs		
	No.	101273	Ref. No. 93107
	olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal		
	No.	101286	Ref. No. —
	olive ID ø 6mm Qty 1 pcs		

			
No.	106679	Ref. No.	94700-01
description	gas tap alternatives to EGA type GPEL22D with nozzle outlet (without nozzle) gas inlet M18x1.5 (tube ø 12mm) external nozzle ømm internal nozzle ømm bypass nozzle ø 0.35mm mixing pipe connection M22x1 thermocouple connection M8x1 pilot connection M10x1 shaft ø 9x6.5mm shaft L 34/15mm shaft flat upper and bottom		
spare parts for	106679		
	No.	100390	Ref. No. 94452
	bypass nozzle type PEL22 bore ø 0.5mm thread M6x0.5		

spare parts for	106679		
	No.	101058	Ref. No. 93122
	magnet unit L 39mm D1 ø 15.4mm D2 ø 13.5mm suitable for PEL22/ EGA24197 standard		
	No.	101230	Ref. No. —
	thermocouple nut T1: M8x1 T2: M18x1 aluminium		
	No.	101823	Ref. No. —
	gas tap front part shaft ø 6x4.6mm shaft L 35/21mm shaft flat upper/lower suitable for PEL22		
accessories for	106679		
	No.	100908	Ref. No. —
	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs		
	No.	101246	Ref. No. —
	olive for pipe ø 4mm Qty 1 pcs		





















			
No.	106394	Ref. No.	94700
description	gas tap alternatives to EGA type GPEL22D with nozzle outlet (without nozzle) gas inlet M18x1.5 (tube ø 12mm) external nozzle ømm internal nozzle ømm bypass nozzle ø 0.5mm mixing pipe connection M22x1 thermocouple connection M8x1 pilot connection M10x1 shaft ø 9x6.5mm shaft L 26/15mm shaft flat upper and bottom		
spare parts for	106394		
	No.	100259	Ref. No. —
	bypass nozzle type PEL22 bore ø 0.35mm thread M6x0.5		
	No.	100927	Ref. No. —
	torsion spring L 2.8-8.0mm for internal nozzle ø 3mm bore ømm		
	No.	101058	Ref. No. 93122
	magnet unit L 39mm D1 ø 15.4mm D2 ø 13.5mm suitable for PEL22/ EGA24197 standard		
	No.	101230	Ref. No. —
	thermocouple nut T1: M8x1 T2: M18x1 aluminium		
	No.	101460	Ref. No. —
	O-ring ø 12.37mm D1 ø 2.62mm suitable for PEL22		
	No.	101527	Ref. No. —
	O-ring Viton thickness 1.78mm ID ø 6.75mm Qty 1 pcs		
	No.	101594	Ref. No. —
	adjusting screw for internal nozzle thread M10x0.75		
accessories for	106394		
	No.	100908	Ref. No. —
	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs		
	No.	100909	Ref. No. —
	union screw thread M10x1 for pipe ø 6mm Qty 1 pcs		

Table continues overleaf



accessories for		106394		
No.	Ref. No.	Ref. No.	—	
	100944		union nut thread M18x1.5 for pipe ø 12mm	
	101246		olive for pipe ø 4mm Qty 1 pcs	
	101273	93107	olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal	
	101286		olive ID ø 6mm Qty 1 pcs	
	110217		knob gas tap with ignition flame ø 64mm shaft ø 9x7mm shaft flat horizontal black	

accessories for		101624		
No.	Ref. No.	Ref. No.	—	
	100944		union nut thread M18x1.5 for pipe ø 12mm	
	101246		olive for pipe ø 4mm Qty 1 pcs	
	101273	93107	olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal	
	101286		olive ID ø 6mm Qty 1 pcs	
	110217		knob gas tap with ignition flame ø 64mm shaft ø 9x7mm shaft flat horizontal black	

				
No.	101624	Ref. No.	94411	
description	gas tap alternatives to EGA type PEL22S with nozzle outlet (without nozzle) gas inlet M18x1.5 (tube ø 12mm) external nozzle ømm internal nozzle ømm bypass nozzle ø 0.35mm mixing pipe connection M22x1 thermocouple connection M8x1 pilot connection M10x1 shaft ø 9x6.5mm shaft L 34/15mm shaft flat upper and bottom			
spare parts for	101624			
	No. 100259	Ref. No.	—	
	bypass nozzle type PEL22 bore ø 0.35mm thread M6x0.5			
	No. 100927	Ref. No.	—	
	torsion spring L 2.8-8.0mm for internal nozzle ø 3mm bore ømm			
	No. 101058	Ref. No.	93122	
	magnet unit L 39mm D1 ø 15.4mm D2 ø 13.5mm suitable for PEL22/ EGA24197 standard			
	No. 101230	Ref. No.	—	
	thermocouple nut T1: M8x1 T2: M18x1 aluminium			
	No. 101460	Ref. No.	—	
	O-ring ø 12.37mm D1 ø 2.62mm suitable for PEL22			
	No. 101527	Ref. No.	—	
	O-ring Viton thickness 1.78mm ID ø 6.75mm Qty 1 pcs			
	No. 101594	Ref. No.	—	
	adjusting screw for internal nozzle thread M10x0.75			
	No. 101821	Ref. No.	—	
	gas tap front part shaft ø 9x6.5mm shaft L 34/15mm shaft flat upper/ lower suitable for PEL22			
accessories for	101624			
	No. 100908	Ref. No.	—	
	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs			
	No. 100909	Ref. No.	—	
	union screw thread M10x1 for pipe ø 6mm Qty 1 pcs			












with pipe outlet				
				
No.	101666	Ref. No.	94413	
description	gas tap alternatives to EGA type GPEL22R with pipe outlet gas inlet M18x1.5 (tube ø 12mm) bypass nozzle ø 0.35mm gas outlet M18x1.5 (tube ø 12mm) thermocouple connection M8x1 pilot connection M10x1 shaft ø 9x6.5mm shaft L 34/15mm shaft flat right/left			
spare parts for	101666			
	No. 100259	Ref. No.	—	
	bypass nozzle type PEL22 bore ø 0.35mm thread M6x0.5			
	No. 101058	Ref. No.	93122	
	magnet unit L 39mm D1 ø 15.4mm D2 ø 13.5mm suitable for PEL22/ EGA24197 standard			
	No. 101230	Ref. No.	—	
	thermocouple nut T1: M8x1 T2: M18x1 aluminium			
	No. 101460	Ref. No.	—	
	O-ring ø 12.37mm D1 ø 2.62mm suitable for PEL22			
	No. 101822	Ref. No.	—	
	gas tap front part shaft ø 10x6.5mm shaft L 34/15mm shaft flat right/ left suitable for PEL22			
accessories for	101666			
	No. 100908	Ref. No.	—	
	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs			
	No. 100909	Ref. No.	—	
	union screw thread M10x1 for pipe ø 6mm Qty 1 pcs			
	No. 100944	Ref. No.	—	
	union nut thread M18x1.5 for pipe ø 12mm			
	No. 101246	Ref. No.	—	
	olive for pipe ø 4mm Qty 1 pcs			

Table continues overleaf

accessories for	101666			
	No.	101273	Ref. No.	93107
	olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal			
	No.	101286	Ref. No.	—
	olive ID ø 6mm Qty 1 pcs			

alternatives to JUNKERS

				
No.	101630	Ref. No.	94600	
description	gas tap PEL type 23S/V gas inlet 1/2" IT bypass nozzle ø 0.35mm gas outlet 1/2" MT (tube ø 14mm) thermocouple connection M10x1 pilot connection M10x1 shaft ø 10mm shaft L 25mm shaft flat			
spare parts for	101630			
	No.	100455	Ref. No.	—
	bypass nozzle type PEL23/24 bore ø 0.35mm thread M8x0.5			
	No.	101059	Ref. No.	94615
	magnet unit T1: M10x1 T2: M22x1 L 46mm ø 18mm suitable for PEL23S M10x1			
	No.	102767	Ref. No.	—
	gas tap front part shaft ø 10mm shaft L 26.5mm shaft flat suitable for PEL23S			
accessories for	101630			
	No.	100908	Ref. No.	—
	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100909	Ref. No.	—
	union screw thread M10x1 for pipe ø 6mm Qty 1 pcs			
	No.	100945	Ref. No.	—
	roll pin ø 3.2mm L 10mm			
	No.	101218	Ref. No.	—
	shaft extension JUNKERS			
	No.	101219	Ref. No.	—
	shaft extension L 25mm JUNKERS			
	No.	101246	Ref. No.	—
	olive for pipe ø 4mm Qty 1 pcs			
	No.	101286	Ref. No.	—
	olive ID ø 6mm Qty 1 pcs			
	No.	110064	Ref. No.	93207
	knob			
	No.	110066	Ref. No.	—
	knob screw			
	No.	550396	Ref. No.	—
	shaft extension L 25mm JUNKERS			

MADEC (MP)

with nozzle outlet



No.	101073	Ref. No.	93618	
description	gas tap MADEC with nozzle outlet (without nozzle) gas inlet M12x1 (tube ø 8mm) external nozzle ømm internal nozzle ømm bypass nozzle ø 0.35mm mixing pipe connection M17x1 thermocouple connection M8x1 front fixing M12x1 shaft ø 8x5mm shaft L 23/13.5mm shaft flat right gas outlet M17x1			
spare parts for	101073			
	No.	100936	Ref. No.	—
	gas tap spindle shaft ø 5x8mm MADEC			
	No.	101051	Ref. No.	—
	magnet unit L 27mm D1 ø 12.5mm D2 ø 8.5mm suitable for JUNKERS/EGA/MADEC/SABAF standard			
	No.	101234	Ref. No.	—
	union nut T1: M8x1 T2: M15			
accessories for	101073			
	No.	100927	Ref. No.	—
	torsion spring L 2.8-8.0mm for internal nozzle ø 3mm bore ømm			
	No.	101277	Ref. No.	93106
	olive ID ø 8mm Qty 1 pcs			
	No.	101296	Ref. No.	—
	union nut thread M12x1 for pipe ø 8mm			
	No.	101299	Ref. No.	—
	nut thread M12x1			
	No.	101400	Ref. No.	—
	air mixing tube thread M17x1 suitable for L350, L700			
	No.	110148	Ref. No.	—
	knob gas tap without ignition flame ø 50mm shaft ø 8x5mm shaft flat left black			
	No.	110150	Ref. No.	93118
	knob gas tap without ignition flame t.max.°C ø 50mm shaft ø 8x5.5mm shaft flat right white			







gas thermostats

SIT

710 Minisit series



No.	101385	Ref. No.	93201
description	gas thermostat SIT type MINISIT 710 t.max. 200°C 60-200°C gas inlet 3/8" gas outlet 3/8" thermocouple connection M10x1 pilot connection M10x1 probe ø 5mm probe L 95mm capillary pipe 1050mm probe type type D2 pressure controller no pressure regulator mbar gland nut M14x1.5 ignition gas 4mm		
spare parts for	101385		
	No.	100809	Ref. No. —
	O-ring EPDM thickness 2mm ID ø 21mm Qty 1 pcs		
	No.	100904	Ref. No. —
	locking screw M10x1 for pipe ø 4mm Qty 1 pcs		
	No.	101054	Ref. No. —
	magnet unit T1: M10x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit		
	No.	101136	Ref. No. —
	piezoelectric igniter suitable for Minisit with cover cap ømm connection F6.3x0.8		
	No.	101268	Ref. No. —
	gas connection thread 3/8" angled with O-ring MINISIT 710		
	No.	101273	Ref. No. 93107
	olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal		
	No.	101276	Ref. No. —
	union screw thread 3/8" tube ø 12mm Qty 1 pcs		
	No.	102844	Ref. No. —
	probe 60-200°C probe ø 5mm probe L 98mm capillary pipe 1050mm t.max. 200°C fryer probe type type D2 suitable for MINISIT 710 gland nut M14x1.5		
accessories for	101385		
	No.	100905	Ref. No. —
	locking screw M10x1 for pipe ø 6mm Qty 1 pcs		
	No.	101054	Ref. No. —
	magnet unit T1: M10x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit		
	No.	101137	Ref. No. —
	cover cap without piezoelectric igniter		
	No.	101267	Ref. No. —
	reducer IT 3/8" ET 1/2" L 21mm		
	No.	101269	Ref. No. —
	gas connection thread 1/2" angled with O-ring MINISIT 710		

accessories for	101385		
	No.	101270	Ref. No. —
	screw connection IT 3/8" ET 3/8" L 28mm		
	No.	101272	Ref. No. —
	screw connection IT 1/2" ET 3/8" L 57mm		
	No.	101274	Ref. No. —
	olive for pipe ø 16mm Qty 1 pcs		
	No.	101275	Ref. No. —
	union screw thread 1/2" for pipe ø 16mm Qty 1 pcs		

	No.	101132	Ref. No.	26001
description	gas thermostat SIT type MINISIT 710 t.max. 340°C 100-340°C gas inlet 1/2" gas outlet 3/8" thermocouple connection M9x1 pilot connection M10x1 probe ø 5mm probe L 68mm capillary pipe 1050mm probe type type B1 pressure controller no pressure regulator mbar gland nut ignition gas no			
spare parts for	101132			
	No.	101053	Ref. No.	—
	magnet unit T1: M9x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit			
	No.	102102	Ref. No.	—
	probe 100-340°C probe ø 5mm probe L 68mm capillary pipe 1750mm t.max. 340°C oven/grill probe type type B1 suitable for MINISIT 710			
accessories for	101132			
	No.	100809	Ref. No.	—
	O-ring EPDM thickness 2mm ID ø 21mm Qty 1 pcs			
	No.	100904	Ref. No.	—
	locking screw M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100905	Ref. No.	—
	locking screw M10x1 for pipe ø 6mm Qty 1 pcs			
	No.	101054	Ref. No.	—
	magnet unit T1: M10x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit			
	No.	101136	Ref. No.	—
	piezoelectric igniter suitable for Minisit with cover cap ømm connection F6.3x0.8			
	No.	101137	Ref. No.	—
	cover cap without piezoelectric igniter			
	No.	101267	Ref. No.	—
	reducer IT 3/8" ET 1/2" L 21mm			
	No.	101268	Ref. No.	—
	gas connection thread 3/8" angled with O-ring MINISIT 710			

1 gas components




accessories for		101132	
	No.	101269	Ref. No. —
gas connection thread 1/2" angled with O-ring MINISIT 710			
	No.	101270	Ref. No. —
screw connection IT 3/8" ET 3/8" L 28mm			
	No.	101272	Ref. No. —
screw connection IT 1/2" ET 3/8" L 57mm			
	No.	101273	Ref. No. 93107
olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal			
	No.	101274	Ref. No. —
olive for pipe ø 16mm Qty 1 pcs			
	No.	101275	Ref. No. —
union screw thread 1/2" for pipe ø 16mm Qty 1 pcs			
	No.	101276	Ref. No. —
union screw thread 3/8" tube ø 12mm Qty 1 pcs			
	No.	110068	Ref. No. 26001
knob suitable for Minisit ø 37mm			

gas valves and ignition boxes

safety valves

ORKLI/JUNKERS



No.	101196	Ref. No.	93273
description	safety valve type CV101015 front fixing M12x0.75 pressure rangem-bar pressure range 2.1bar gas inlet M14x1.5 ET gas outlet ø 8mm thermocouple connection M8x1		
spare parts for	101196		
	No.	101046	Ref. No. —
magnet unit L 27mm D1 ø 12.5mm D2 ø 9.5mm pressure range 2.1bar suitable for JUNKERS			
accessories for	101196		
	No.	101499	Ref. No. 93822
protection cap for safety valve thread M12x0.75 ID ø 18mm L 24mm aluminium			
	No.	101501	Ref. No. 93282
nut thread M12x0.75 H 2mm WS 16 brass Qty 1 pcs			

ignition parts

pilot burners

JUNKERS

CB 503 series

pilot burners



No.	100101	Ref. No.	93269
description	pilot burner JUNKERS type CB503003 LPG nozzle no.2 gas connection 4mm with primary air		
spare parts for	100101		
	No.	100224	Ref. No. —
pilot burner nozzle natural gas gas pressure 25mbar code 26 Qty 1 pcs suitable for JUNKERS CB503_			
	No.	101281	Ref. No. 91606
olive for pipe ø 4mm L 8.7mm Qty 1 pcs suitable for CB 502/503			
	No.	101283	Ref. No. —
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs			
accessories for	100101		
	No.	100220	Ref. No. —
pilot burner nozzle LPG gas pressure 50mbar code 2 Qty 1 pcs suitable for JUNKERS CB503_			
	No.	100221	Ref. No. —
pilot burner nozzle LPG gas pressure 30mbar code 29 Qty 1 pcs suitable for JUNKERS CB50203_			
	No.	100222	Ref. No. —
pilot burner nozzle LPG gas pressure 50mbar code 5 Qty 1 pcs suitable for JUNKERS CB50203_			
	No.	100223	Ref. No. —
pilot burner nozzle natural gas gas pressure 20mbar code 3 Qty 1 pcs suitable for JUNKERS CB503_			
	No.	100226	Ref. No. —
pilot burner nozzle LPG gas pressure 50mbar code 15 suitable for JUNKERS			
	No.	100227	Ref. No. —
pilot burner nozzle natural gas gas pressure 25mbar code 6 Qty 1 pcs suitable for JUNKERS CB50203_			
	No.	100228	Ref. No. —
pilot burner nozzle town gas gas pressure 8mbar code 4 Qty 1 pcs suitable for JUNKERS CB50203_			
	No.	100909	Ref. No. —
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs			
	No.	101287	Ref. No. —
olive for pipe ø 6mm Qty 1 pcs			
	No.	102110	Ref. No. —
pilot tube copper pipe ø 4mm thickness 1mm L 3000mm			

Table continues overleaf



accessories for	100101			
	No.	102111	Ref. No.	—
	pilot tube copper pipe \varnothing 6mm thickness 1mm L 3000mm			

producer-specific pilot burners

HEIDEBRENNER



1	No.	102859	Ref. No.	8620FG
description pilot burner LPG				




1	No.	102860	Ref. No.	8620EG
description pilot burner natural gas				



1	No.	106959	Ref. No.	8618
description pilot burner without nozzle				

electrodes



1	No.	102863	Ref. No.	93292
description ignition electrode D1 \varnothing 9mm connection M4 D2 \varnothing 11mm L1 14mm L2 7mm BL1 27mm BL2 3mm BL3 28mm to clip				
For models: AGK 13				

piezoelectric igniters

mounting diameter 22mm



1	No.	100008	Ref. No.	93285
description piezoelectric igniter body plastic blowing mounting \varnothing 22mm connection \varnothing 2mm cable lengthmm				
For models: AGK 13				


thermocouples

plug-in thermocouples


plug-in thermocouples standard

with barrel socket \varnothing 6mm


type Junkers with aluminised tip




1	No.	102229	Ref. No.	93262
description thermocouple M10x1 L 1000mm plug connection \varnothing 6.0mm				




1	No.	102230	Ref. No.	93263
description thermocouple M10x1 L 1200mm plug connection \varnothing 6.0mm				




1	No.	102231	Ref. No.	93264
description thermocouple M10x1 L 1500mm plug connection \varnothing 6.0mm				




1	No.	102225	Ref. No.	93258
description thermocouple M10x1 L 320mm plug connection \varnothing 6.0mm				




No.	102226	Ref. No.	93259
description	thermocouple M10x1 L 450mm plug connection ø6.0mm		




No.	102227	Ref. No.	93260
description	thermocouple M10x1 L 600mm plug connection ø6.0mm		




No.	102228	Ref. No.	93261
description	thermocouple M10x1 L 750mm plug connection ø6.0mm		




No.	102222	Ref. No.	93250
description	thermocouple M8x1 L 1000mm plug connection ø6.0mm		




No.	102223	Ref. No.	93251
description	thermocouple M8x1 L 1200mm plug connection ø6.0mm		




No.	102217	Ref. No.	93243
description	thermocouple M8x1 L 220mm plug connection ø6.0mm		




No.	102218	Ref. No.	93245
description	thermocouple M8x1 L 320mm plug connection ø6.0mm		



No.	102219	Ref. No.	93246
description	thermocouple M8x1 L 450mm plug connection ø6.0mm		



No.	102220	Ref. No.	93247
description	thermocouple M8x1 L 600mm plug connection ø6.0mm		




No.	102221	Ref. No.	93248
description	thermocouple M8x1 L 750mm plug connection ø6.0mm		

threaded thermocouples

threaded thermocouples standard


with socket with thread M8x1


SIT



No.	107645	Ref. No.	93256 93257
description	thermocouple SIT M10x1 L 1500mm M8x1		


accessories for 107645

	No.	102067	Ref. No.	93123
	nut thread M8x1 H 3mm brass Qty 1 pcs type SEF 1			



No.	107642	Ref. No.	93253
description	thermocouple SIT M10x1 L 450mm M8x1		

accessories for 107642

	No.	102067	Ref. No.	93123
	nut thread M8x1 H 3mm brass Qty 1 pcs type SEF 1			



No.	107643	Ref. No.	93254
description	thermocouple SIT M10x1 L 600mm M8x1		
accessories for	107643		
	No.	102067	Ref. No.
			93123
	nut thread M8x1 H 3mm brass Qty 1 pcs type SEF 1		

No.	107634	Ref. No.	93240
description	thermocouple SIT M8x1 L 1500mm M8x1		
accessories for	107634		
	No.	102067	Ref. No.
			93123
	nut thread M8x1 H 3mm brass Qty 1 pcs type SEF 1		

No.	107644	Ref. No.	93255
description	thermocouple SIT M10x1 L 750mm M8x1		
accessories for	107644		
	No.	102067	Ref. No.
			93123
	nut thread M8x1 H 3mm brass Qty 1 pcs type SEF 1		

No.	107627	Ref. No.	93255
description	thermocouple SIT M8x1 L 220mm M8x1		

No.	107632	Ref. No.	93241
description	thermocouple SIT M8x1 L 1000mm M8x1		
accessories for	107632		
	No.	102067	Ref. No.
			93123
	nut thread M8x1 H 3mm brass Qty 1 pcs type SEF 1		

No.	107628	Ref. No.	93236
description	thermocouple SIT M8x1 L 320mm M8x1		
accessories for	107628		
	No.	102067	Ref. No.
			93123
	nut thread M8x1 H 3mm brass Qty 1 pcs type SEF 1		

No.	107633	Ref. No.	93242
description	thermocouple SIT M8x1 L 1200mm M8x1		
accessories for	107633		
	No.	102067	Ref. No.
			93123
	nut thread M8x1 H 3mm brass Qty 1 pcs type SEF 1		

No.	107629	Ref. No.	93237
description	thermocouple SIT M8x1 L 450mm M8x1		
accessories for	107629		
	No.	102067	Ref. No.
			93123
	nut thread M8x1 H 3mm brass Qty 1 pcs type SEF 1		

No.	107640	Ref. No.	93206
description	thermocouple SIT M9x1 L 1500mm M8x1		



No.	107636	Ref. No.	93271
description	thermocouple SIT M9x1 L 600mm M8x1		
accessories for	107636		
	No.	102067	Ref. No.
			93123
	nut thread M8x1 H 3mm brass Qty 1 pcs type SEF 1		

No.	107637	Ref. No.	93244
description	thermocouple SIT M9x1 L 850mm M8x1		
accessories for	107637		
	No.	102067	Ref. No.
			93123
	nut thread M8x1 H 3mm brass Qty 1 pcs type SEF 1		

type Junkers with aluminised tip

No.	102234	Ref. No.	93252
description	thermocouple M10x1 L 320mm M8x1		

No.	102056	Ref. No.	93238
description	thermocouple M8x1 L 600mm M8x1		
accessories for	102056		
	No.	102067	Ref. No.
			93123
	nut thread M8x1 H 3mm brass Qty 1 pcs type SEF 1		

No.	102233	Ref. No.	93239
description	thermocouple M8x1 L 750mm M8x1		
accessories for	102233		
	No.	102067	Ref. No.
			93123
	nut thread M8x1 H 3mm brass Qty 1 pcs type SEF 1		

accessories

nuts

No.	102067	Ref. No.	93123
description	nut thread M8x1 H 3mm brass Qty 1 pcs type SEF 1		

screws

No.	102561	Ref. No.	91230
description	thermocouple fitting thread M9x1 Qty 10 pcs		

gas burners

hob burners

producer-specific hob burners

HEIDEBRENNER

Universal series









burner caps

No.	105945	Ref. No.	8643
description	burner cap cross-shaped		


No.	105941	Ref. No.	8637
description	burner cap ø 115mm for burner cap ø 94mm		


No.	105944	Ref. No.	8638
description	burner cap ø 115mm slotted		






			
1			
No.	105942	Ref. No.	8640
description	burner cap ø 155mm		
spare parts for	105942		
	No.	100222	Ref. No. —
	pilot burner nozzle LPG gas pressure 50mbar code 5 Qty 1 pcs suitable for JUNKERS CB50203_		
	No.	100227	Ref. No. —
	pilot burner nozzle natural gas gas pressure 25mbar code 6 Qty 1 pcs suitable for JUNKERS CB50203_		
	No.	102067	Ref. No. 93123
	nut thread M8x1 H 3mm brass Qty 1 pcs type SEF 1		
	No.	102232	Ref. No. —
	thermocouple M8x1 L 220mm M8x1		
	No.	102859	Ref. No. 8620FG
	pilot burner LPG		
	No.	102860	Ref. No. 8620EG
	pilot burner natural gas		
	No.	105942	Ref. No. 8640
	burner cap ø 155mm		

			
1			
No.	105946	Ref. No.	8641
description	burner cap ø 155mm slotted		

			
1			
No.	105947	Ref. No.	8658
description	burner cap ø 155mm slotted		

			
1			
No.	104534	Ref. No.	98642
description	burner cap ø 62mm 3.5kW		

			
1			
No.	105943	Ref. No.	8634
description	burner cap ø 91mm for burner cap ø 77mm 5.8kW		
spare parts for	105943		
	No.	104612	Ref. No. 8607
	burner unit 5.8kW without piezoelectric igniter, with pilot burner		

			
1			
No.	104611	Ref. No.	8635
description	burner cap ø 95mm slotted		

burner assemblies

















			
1			
No.	104728	Ref. No.	8606
description	burner unit 12.8kW with piezoelectric igniter, with pilot burner		
spare parts for	104728		
	No.	100013	Ref. No. —
	piezoelectric igniter body plastic blowing mounting ø 22mm connection ø2.4mm cable lengthmm		
	No.	100017	Ref. No. —
	ignition cable cable length 300mm connection ø2.4mm / ø4mm permanent temperature 200°C		
	No.	100656	Ref. No. 94476
	internal nozzle bore ø 1.6mm type EGA/PEL22		
	No.	100698	Ref. No. 94466
	gas injector thread M15x1 bore ø 3.00mm WS 17		
	No.	102054	Ref. No. —
	thermocouple M8x1 L 320mm M8x1		
	No.	102067	Ref. No. 93123
	nut thread M8x1 H 3mm brass Qty 1 pcs type SEF 1		
	No.	102859	Ref. No. 8620FG
	pilot burner LPG		
	No.	102863	Ref. No. 93292
	ignition electrode D1 ø 9mm connection M4 D2 ø 11mm L1 14mm L2 7mm BL1 27mm BL2 3mm BL3 28mm to clip		
	No.	105942	Ref. No. 8640
	burner cap ø 155mm		
	No.	106042	Ref. No. —
	gas tap type PEL22S thermocouple connection M8x1		


Table continues overleaf


spare parts for 104728			
No.	106043	Ref. No.	—
gas tap type PEL22S thermocouple connection M8x1			


			
No.	104727	Ref. No.	8609
description burner unit 12.8kW without piezoelectric igniter, with pilot burner			
spare parts for 104727			
No.	100656	Ref. No.	94476
internal nozzle bore ø 1.6mm type EGA/PEL22			
No.	100698	Ref. No.	94466
gas injector thread M15x1 bore ø 3.00mm WS 17			
No.	102054	Ref. No.	—
thermocouple M8x1 L 320mm M8x1			
No.	102067	Ref. No.	93123
nut thread M8x1 H 3mm brass Qty 1 pcs type SEF 1			
No.	102859	Ref. No.	8620FG
pilot burner LPG			
No.	105942	Ref. No.	8640
burner cap ø 155mm			
No.	106042	Ref. No.	—
gas tap type PEL22S thermocouple connection M8x1			





			
No.	104725	Ref. No.	8603
description burner unit 3.5kW with piezoelectric igniter, no pilot burner			
spare parts for 104725			
No.	100013	Ref. No.	—
piezoelectric igniter body plastic blowing mounting ø 22mm connection ø 2.4mm cable length mm			
No.	100017	Ref. No.	—
ignition cable cable length 300mm connection ø 2.4mm / ø 4mm permanent temperature 200°C			
No.	100451	Ref. No.	94461
gas injector thread M15x1 bore ø 1.50mm WS 17			
No.	100492	Ref. No.	94471
internal nozzle bore ø 0.8mm type EGA/PEL22			
No.	102054	Ref. No.	—
thermocouple M8x1 L 320mm M8x1			
No.	102067	Ref. No.	93123
nut thread M8x1 H 3mm brass Qty 1 pcs type SEF 1			

spare parts for 104725			
No.	102863	Ref. No.	93292
 ignition electrode D1 ø 9mm connection M4 D2 ø 11mm L1 14mm L2 7mm BL1 27mm BL2 3mm BL3 28mm to clip			
No.	104534	Ref. No.	98642
 burner cap ø 62mm 3.5kW			
No.	106040	Ref. No.	N/A
 gas tap alternatives to EGA type GPPEL22D with nozzle outlet (without nozzle) gas inlet M18x1.5 (tube ø 12mm) external nozzle ø mm internal nozzle ø mm bypass nozzle ø 0.35mm mixing pipe connection M22x1 thermocouple connection M8x1 pilot connection closed shaft ø 9x6.5mm shaft L 34/15mm shaft flat upper and bottom			
No.	106041	Ref. No.	—
 gas tap alternatives to EGA type GPPEL22D with nozzle outlet (without nozzle) gas inlet M18x1.5 (tube ø 12mm) external nozzle ø mm internal nozzle ø mm bypass nozzle ø 0.35mm mixing pipe connection M22x1 thermocouple connection M8x1 pilot connection closed shaft ø 9x6.5mm shaft L 34/15mm shaft flat right and left			





			
No.	104609	Ref. No.	8604
description burner unit 5.8kW with piezoelectric igniter, no pilot burner			


			
No.	104612	Ref. No.	8607
description burner unit 5.8kW without piezoelectric igniter, with pilot burner			


			
No.	104610	Ref. No.	8605
description burner unit 9.3kW with piezoelectric igniter, no pilot burner			


			
No.	104726	Ref. No.	8608
description burner unit 9.3kW without piezoelectric igniter, with pilot burner			
spare parts for 104726			
No.	100101	Ref. No.	93269
 pilot burner JUNKERS type CB503003 LPG nozzle no.2 gas connection 4mm with primary air			
No.	100220	Ref. No.	—
 pilot burner nozzle LPG gas pressure 50mbar code 2 Qty 1 pcs suitable for JUNKERS CB503_			
No.	100456	Ref. No.	94464
 gas injector thread M15x1 bore ø 2.50mm WS 17			




spare parts for		104726	
No.	100647	Ref. No.	94474
	internal nozzle bore ø 1.3mm type EGA/PEL22		
No.	102019	Ref. No.	—
	thermocouple M8x1 L 320mm plug connection ø6.0mm		
No.	105941	Ref. No.	8637
	burner cap ø 115mm for burner cap ø 94mm		
No.	106042	Ref. No.	—
	gas tap type PEL22S thermocouple connection M8x1		
No.	106043	Ref. No.	—
	gas tap type PEL22S thermocouple connection M8x1		


pan supports			
			
1			
No.	210234	Ref. No.	8324
description	pan support W 360mm L 365mm		


			
1			
No.	210233	Ref. No.	8319
description	pan support W 370mm L 370mm		

reducers for pan supports			
			
1			
No.	210001	Ref. No.	98.801
description	reducer for pan support L 265mm W 265mm SS suitable for universal		

spillage trays			
			
1			
No.	210232	Ref. No.	90601
description	drain tray L 410mm W 410mm H 70mm		

height extensions			
			
1			
No.	210235	Ref. No.	8360
description	attachment ring ø 255mm		

			
1			
No.	210236	Ref. No.	70648
description	attachment ring ø 255mm		

accessories			
reducers for pan supports			
			
1			
No.	210001	Ref. No.	98.801
description	reducer for pan support L 265mm W 265mm SS suitable for universal		

pan supports			
			
1			
No.	210234	Ref. No.	8324
description	pan support W 360mm L 365mm		

			
1			
No.	210233	Ref. No.	8319
description	pan support W 370mm L 370mm		



spillage trays



1

No.	210232	Ref. No.	90601
description	drain tray L 410mm W 410mm H 70mm		

air mixers



1

No.	104608	Ref. No.	Mischhülse
description	air mixing sleeve		

ring burners



1

No.	104607	Ref. No.	8670
description	ring burner L 488mm W 150mm 2.9kW		

gas nozzles

main nozzles

gas nozzles M12x1



1

No.	100307	Ref. No.	94402
description	gas injector thread M12x1 WS 14 bore ø 1.40mm		

gas nozzles M15x1



1

No.	100451	Ref. No.	94461
description	gas injector thread M15x1 bore ø 1.50mm WS 17		



1

No.	100453	Ref. No.	94462
description	gas injector thread M15x1 bore ø 2.00mm WS 17		



1

No.	100330	Ref. No.	94463
description	gas injector thread M15x1 bore ø 2.20mm WS 17		



1

No.	100456	Ref. No.	94464
description	gas injector thread M15x1 bore ø 2.50mm WS 17		



1

No.	100457	Ref. No.	94465
description	gas injector thread M15x1 bore ø 2.60mm WS 17		



1

No.	100698	Ref. No.	94466
description	gas injector thread M15x1 bore ø 3.00mm WS 17		



1

No.	100339	Ref. No.	94467
description	gas injector thread M15x1 bore ø 3.40mm WS 17		



bypass nozzles

bypass nozzles PEL22



No.	100281	Ref. No.	94451
description	bypass nozzle type PEL22 bore ø 0.4mm thread M6x0.5		



No.	100391	Ref. No.	94453
description	bypass nozzle type PEL22 bore ø 0.55mm thread M6x0.5		



No.	100390	Ref. No.	94452
description	bypass nozzle type PEL22 bore ø 0.5mm thread M6x0.5		



No.	100392	Ref. No.	94454
description	bypass nozzle type PEL22 bore ø 0.6mm thread M6x0.5		



No.	100407	Ref. No.	94455
description	bypass nozzle type PEL22 bore ø 1mm thread M6x0.5		

bypass nozzles PEL23/24



No.	100459	Ref. No.	94472
description	bypass nozzle type PEL23/24 bore ø 0.65mm thread M8x0.5		

internal nozzles

internal nozzles for EGA gas taps/nozzle holders

EGA 24197/24362



No.	100492	Ref. No.	94471
description	internal nozzle bore ø 0.8mm type EGA/PEL22		



No.	100495	Ref. No.	94472
description	internal nozzle bore ø 1.05mm type EGA/PEL22		



No.	100344	Ref. No.	94473
description	internal nozzle bore ø 1.2mm type EGA/PEL22		



No.	100648	Ref. No.	94475
description	internal nozzle bore ø 1.35mm type EGA/PEL22		



No.	100647	Ref. No.	94474
description	internal nozzle bore ø 1.3mm type EGA/PEL22		



No.	100656	Ref. No.	94476
description	internal nozzle bore ø 1.6mm type EGA/PEL22		



No.	100658	Ref. No.	94477
description	internal nozzle bore ø 1.8mm type EGA/PEL22		

internal nozzles for gas tap MADEC



No.	100421	Ref. No.	94401
description	internal nozzle MADEC bore ø 0.8mm		

auxiliary gas parts

screw connections

end caps



No.	101590	Ref. No.	94482
description	locking screw thread M10x1		

olives



No.	101273	Ref. No.	93107
description	olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal		


accessories for 101273









No.	100944	Ref. No.	—
description	union nut thread M18x1.5 for pipe ø 12mm		



Table continues overleaf



accessories for	101273			
	No.	101276	Ref. No.	—
union screw thread 3/8" tube ø 12mm Qty 1 pcs				


	1			
No.	101281	Ref. No.	91606	
description	olive for pipe ø 4mm L 8.7mm Qty 1 pcs suitable for CB 502/503			
accessories for	101281			
	No.	101283	Ref. No.	—
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs				


	1			
No.	101284	Ref. No.	93105	
description	olive for pipe ø 4mm Qty 1 pcs			
accessories for	101284			
	No.	101259	Ref. No.	—
union nut thread M8x1 for pipe ø 4mm				
	No.	101285	Ref. No.	26009
union screw thread M8x1 for pipe ø 4mm Qty 1 pcs JUNKERS				
	No.	101294	Ref. No.	—
union nut thread M10x1 for pipe ø 4mm WS 14 L 12mm Qty 1 pcs				

union screws				
	1			
No.	101285	Ref. No.	26009	
description	union screw thread M8x1 for pipe ø 4mm Qty 1 pcs JUNKERS			
accessories for	101285			
	No.	101284	Ref. No.	93105
olive for pipe ø 4mm Qty 1 pcs				

knobs



universal knobs


	1			
No.	110236	Ref. No.	94231	
description	knob graduated t.max.°C ø 50mm shaft ø 6x4.6mm shaft flat upper black			


	1			
No.	110253	Ref. No.	94714	
description	knob switch zero mark t.max.°C ø 50mm shaft ø 6x4.6mm shaft flat upper black			

producer-specific knobs

HEIDEBRENNER


	1			
No.	110064	Ref. No.	93207	
description	knob			
accessories for	110064			
	No.	110066	Ref. No.	—
knob screw				

	1			
No.	110065	Ref. No.	93208	
description	knob			
accessories for	110065			
	No.	110067	Ref. No.	—
knob screw				


1

No.	111941	Ref. No.	93116
description	knob gas tap with ignition flame ø 60mm shaft ø 9x6mm shaft flat horizontal black		




1

No.	111939	Ref. No.	93117
description	knob gas tap without ignition flame ø 60mm shaft ø 9x6.5mm shaft flat horizontal black		





























1

No.	110150	Ref. No.	93118
description	knob gas tap without ignition flame t.max.°C ø 50mm shaft ø 8x5.5mm shaft flat right white		



1

No.	112489	Ref. No.	N/A
description	knob universal ø 55.2mm black without adaptor/dial plate		
accessories for	112489		
	No.	110500	Ref. No. —
	knob dial plate gas tap without ignition flame EGA26400 t.max.°C ED ø 45mm silver		
	No.	110501	Ref. No. —
	knob dial plate gas tap with ignition flame EGA24197 t.max.°C ED ø 45mm silver		
	No.	110502	Ref. No. —
	knob dial plate gas tap with ignition flame EGA24197 t.max.°C ED ø 45mm silver		
	No.	110503	Ref. No. —
	knob dial plate gas tap with ignition flame EGA26440 t.max.°C ED ø 45mm silver		
	No.	110504	Ref. No. 94652
	knob dial plate gas tap PEL21/22/23 t.max.°C ED ø 45mm silver		
	No.	110505	Ref. No. —
	knob dial plate gas tap PEL21/22/23 t.max.°C ED ø 45mm red		
	No.	110506	Ref. No. —
	knob dial plate gas thermostat EGA 1-8 t.max.°C ED ø 45mm red		

accessories for	112489		
	No.	110507	Ref. No. —
	knob dial plate switch 4-position t.max.°C ED ø 45mm silver		
	No.	110508	Ref. No. —
	knob dial plate switch 4-position t.max.°C ED ø 45mm silver		
	No.	110509	Ref. No. —
	knob dial plate switch 7-position t.max.°C ED ø 45mm silver		
	No.	110510	Ref. No. —
	knob dial plate switch 7-position t.max.°C ED ø 45mm silver		
	No.	110511	Ref. No. —
	knob dial plate switch 0-1-0-1 t.max.°C ED ø 45mm red		
	No.	110512	Ref. No. —
	knob dial plate oven TH/BH/TH+BH t.max.°C ED ø 45mm turn direction anti clockwise red		
	No.	110513	Ref. No. —
	knob dial plate oven ED ø 45mm red		
	No.	110514	Ref. No. —
	knob dial plate thermostat t.max. 110°C 30-110°C rotation 310° ED ø 45mm red		
	No.	110515	Ref. No. —
	knob dial plate thermostat t.max. 220°C 100-220°C rotation 310° ED ø 45mm silver		
	No.	110516	Ref. No. —
	knob dial plate thermostat t.max. 300°C 50-300°C ED ø 45mm red		
	No.	110517	Ref. No. —
	knob dial plate thermostat t.max. 110°C 30-110°C rotation 270° ED ø 45mm silver		
	No.	110518	Ref. No. —
	knob dial plate thermostat t.max. 180°C 100-180°C rotation 270° ED ø 45mm silver		
	No.	110519	Ref. No. —
	knob dial plate thermostat t.max. 250°C 50-250°C rotation 270° ED ø 45mm silver		
	No.	110520	Ref. No. —
	knob dial plate thermostat t.max. 300°C 50-300°C rotation 270° ED ø 45mm silver		
	No.	110521	Ref. No. —
	knob dial plate switch 4-position t.max.°C ED ø 45mm silver		
	No.	110522	Ref. No. —
	knob dial plate switch 7-position t.max.°C ED ø 45mm silver		
	No.	110523	Ref. No. —
	knob dial plate thermostat t.max. 110°C 30-110°C rotation 310° ED ø 45mm silver		
	No.	110524	Ref. No. —
	knob dial plate thermostat t.max. 300°C 50-300°C rotation 310° ED ø 45mm silver		
	No.	110658	Ref. No. —
	knob dial plate time 120min ED ø 45mm blue		
	No.	110663	Ref. No. —
	knob dial plate thermostat 1-10 rotation 310° ED ø 45mm blue		

accessories for		112489		
No.	Ref. No.			
	No. 110739	Ref. No.		—
knob dial plate switch 0-1-0-1 ED ø 45mm blue				
	No. 110742	Ref. No.		—
knob dial plate switch 4-position ED ø 45mm blue				
	No. 110883	Ref. No.		—
knob dial plate thermostat t.max. 300°C ED ø 45mm blue				
	No. 110885	Ref. No.		—
knob dial plate thermostat t.max. 110°C ED ø 45mm blue				
	No. 110886	Ref. No.		—
knob dial plate thermostat t.max. 180°C ED ø 45mm blue				
	No. 111743	Ref. No.		—
knob dial plate energy regulator 1-3 t.max.°C ED ø 45mm silver				
	No. 111744	Ref. No.		—
knob dial plate thermostat t.max. 85°C 30-85°C ED ø 45mm silver				
	No. 111879	Ref. No.		—
knob dial plate energy regulator 1-10 2-circuit t.max.°C ED ø 45mm silver				
	No. 111880	Ref. No.		—
knob dial plate switch 0-1-0-1 t.max.°C ED ø 45mm silver				
	No. 111881	Ref. No.		—
knob dial plate energy regulator 1-3 ED ø 45mm silver				
	No. 111882	Ref. No.		—
knob dial plate time 120min + permanent ON ED ø 45mm silver				
	No. 112174	Ref. No.		N/A
knob adapter shaft ø 10x8mm L 0mm				
	No. 112175	Ref. No.		—
knob adapter shaft ø 8x6.5mm L 0mm				
	No. 112177	Ref. No.		—
knob adapter shaft ø 8x7mm L 0mm				
	No. 112178	Ref. No.		N/A
knob adapter shaft ø 8x5mm L 0mm				
	No. 112179	Ref. No.		N/A
knob adapter shaft ø 9x6.5mm L 0mm				
	No. 112269	Ref. No.		93979
washer shaft ø 6x4.6mm ø 16mm H 1mm Qty 10 pcs				
	No. 112270	Ref. No.		—
washer shaft ø 8x5/8x6.5/8x7/7x7mm ø 16mm H 1mm Qty 10 pcs				
	No. 112271	Ref. No.		—
washer shaft ø 9x6.5/10x8/10x9/8x8mm ø 16mm H 1mm Qty 10 pcs				
	No. 112304	Ref. No.		—
knob adapter shaft ø 7x7mm L 0mm				




















accessories for		112489		
No.	Ref. No.			
	No. 112305	Ref. No.		—
knob adapter shaft ø 8x8mm L 0mm				
	No. 112311	Ref. No.		N/A
knob adapter shaft ø 6x4.6mm L 0mm with spring				
	No. 112312	Ref. No.		—
knob adapter shaft ø 10x9mm L 0mm				
	No. 112342	Ref. No.		—
knob adapter shaft ø 8mm L 0mm with screw				
	No. 112343	Ref. No.		N/A
knob adapter shaft ø 10mm L 0mm with screw				
	No. 112414	Ref. No.		—
knob dial plate switch 0-1 t.max.°C ED ø 45mm silver				
	No. 112416	Ref. No.		—
knob dial plate switch 5-position t.max.°C ED ø 45mm silver				
	No. 112420	Ref. No.		—
knob dial plate thermostat t.max. 90°C 30-90°C rotation 270° ED ø 45mm silver				
	No. 112421	Ref. No.		—
knob dial plate thermostat t.max. 90°C 30-90°C rotation 310° ED ø 45mm silver				
	No. 112423	Ref. No.		—
knob dial plate thermostat t.max. 185°C 100-185°C rotation 270° ED ø 45mm silver				
	No. 112424	Ref. No.		—
knob dial plate thermostat t.max. 195°C 100-195°C rotation 270° ED ø 45mm silver				
	No. 112425	Ref. No.		—
knob dial plate thermostat t.max. 200°C 60-200°C rotation 270° ED ø 45mm silver				
	No. 112426	Ref. No.		—
knob dial plate thermostat t.max. 270°C 0-270°C rotation 250° ED ø 45mm silver				
	No. 112427	Ref. No.		—
knob dial plate thermostat t.max. 350°C 100-350°C rotation 270° ED ø 45mm silver				
	No. 112428	Ref. No.		—
knob dial plate thermostat t.max. 500°C 50-500°C rotation 270° ED ø 45mm silver				
	No. 112429	Ref. No.		—
knob dial plate thermostat t.max. 500°C 50-500°C rotation 310° ED ø 45mm silver				
	No. 112430	Ref. No.		—
knob dial plate energy regulator 1-3 t.max.°C energy regulator°C ED ø 45mm turn direction clockwise silver				
	No. 112431	Ref. No.		—
knob dial plate energy regulator 1-3 2-circuit t.max.°C ED ø 45mm silver				
	No. 112432	Ref. No.		—
knob dial plate gas tap with ignition flame COPRECI t.max.°C ED ø 45mm silver				

Table continues overleaf



accessories for		112489		
No.	112433	Ref. No.	—	
	knob dial plate gas tap with ignition flame STN3R t.max.°C ED ø 45mm silver			
No.	112434	Ref. No.	N/A	
	knob dial plate gas tap without ignition flame PEL20 t.max.°C ED ø 45mm silver			
No.	112435	Ref. No.	—	
	knob dial plate gas tap without ignition flame SIRAL t.max.°C ED ø 45mm silver			
No.	112436	Ref. No.	—	
	knob dial plate gas tap without ignition flame STN3R t.max.°C ED ø 45mm silver			
No.	112437	Ref. No.	—	
	knob dial plate gas thermostat COPRECI 1-8 t.max.°C ED ø 45mm silver			
No.	112438	Ref. No.	—	
	knob dial plate gas thermostat EGA 1-8 t.max.°C ED ø 45mm silver			
No.	112439	Ref. No.	—	
	knob dial plate gas thermostat EUROSIT 1-8 t.max.°C ED ø 45mm silver			
No.	112440	Ref. No.	—	
	knob dial plate gas thermostat PEL 1-8 t.max.°C ED ø 45mm silver			
No.	112441	Ref. No.	—	
	knob dial plate gas thermostat SABAF 1-8 t.max.°C ED ø 45mm silver			
No.	112442	Ref. No.	—	
	knob dial plate gas valves NOVASIT ED ø 45mm silver			
No.	112443	Ref. No.	—	
	knob dial plate switch zero mark t.max.°C ED ø 45mm silver			
No.	112444	Ref. No.	—	
	knob dial plate thermostat 1-10 t.max.°C rotation 270° ED ø 45mm silver			
No.	112445	Ref. No.	—	
	knob dial plate thermostat 1-10 t.max.°C rotation 310° silver			
No.	112446	Ref. No.	—	
	knob dial plate water tap cold t.max.°C ED ø 45mm silver			
No.	112447	Ref. No.	—	
	knob dial plate water tap hot t.max.°C ED ø 45mm silver			
No.	112450	Ref. No.	—	
	knob adapter shaft ø 8x6.5mm L 0mm			
No.	112490	Ref. No.	—	
	knob dial plate gas tap with ignition flame EGA26440 t.max.°C EGA26440 ED ø 45mm silver			
No.	112514	Ref. No.	—	
	knob adapter shaft ø 10x8mm L 6mm			
No.	112515	Ref. No.	—	
	knob adapter shaft ø 8x6.5mm L 6mm			
No.	112516	Ref. No.	—	
	knob adapter shaft ø 6x4.6mm L 6mm			

accessories for		112489		
No.	112521	Ref. No.	—	
	knob dial plate energy regulator 1-3 t.max.°C turn direction anti clockwise ED ø 45mm silver			

1				
No.	111592	Ref. No.	94651	
description	knob universal shaft ø 10mm			


1				
No.	112343	Ref. No.	N/A	
description	knob adapter shaft ø 10mm L 0mm with screw			

1				
No.	112174	Ref. No.	N/A	
description	knob adapter shaft ø 10x8mm L 0mm			


1				
No.	112311	Ref. No.	N/A	
description	knob adapter shaft ø 6x4.6mm L 0mm with spring			

1				
No.	112178	Ref. No.	N/A	
description	knob adapter shaft ø 8x5mm L 0mm			


1				
No.	112179	Ref. No.	N/A	
description	knob adapter shaft ø 9x6.5mm L 0mm			


































No.	110504	Ref. No.	94652
description	knob dial plate gas tap PEL21/22/23 t.max.°C ED ø 45mm silver		



No.	112434	Ref. No.	N/A
description	knob dial plate gas tap without ignition flame PEL20 t.max.°C ED ø 45mm silver		



No.	112173 ¹	Ref. No.	N/A	
description	knob universal ø 62mm black without adaptor/dial plate			
accessories for	112173			
	No.	110530	Ref. No.	—
	knob dial plate silver thermostat t.max. 300°C 60-300°C rotation 270° ED ø 59mm ID ø 45.5mm			
	No.	110531	Ref. No.	—
	knob dial plate silver time 120min + permanent ON t.max.°C ED ø 59mm ID ø 45.5mm			
	No.	110532	Ref. No.	—
	knob dial plate red thermostat t.max. 300°C 0-300°C rotation 270° ED ø 59mm ID ø 45.5mm			
	No.	110533	Ref. No.	—
	knob dial plate red thermostat t.max. 100°C 0-100°C rotation 270° ED ø 59mm ID ø 45.5mm			
	No.	110534	Ref. No.	—
	knob dial plate silver time 120min + permanent ON t.max.°C ED ø 59mm ID ø 45.5mm			
	No.	110535	Ref. No.	—
	knob dial plate red thermostat t.max. 250°C 50-250°C rotation 270° ED ø 59mm ID ø 45.5mm			
	No.	110536	Ref. No.	—
	knob dial plate silver thermostat t.max. 195°C 100-195°C rotation 270° ED ø 59mm ID ø 45.5mm			
	No.	110537	Ref. No.	—
	knob dial plate silver switch zero mark t.max.°C ED ø 59mm ID ø 45.5mm			
	No.	110538	Ref. No.	—
	knob dial plate red gas tap with ignition flame EGA24197 t.max.°C ED ø 59mm ID ø 45.5mm			
	No.	110539	Ref. No.	—
	knob dial plate silver switch 2-0-1 t.max.°C 1-2°C ED ø 59mm ID ø 45.5mm			
	No.	110540	Ref. No.	94222
	knob dial plate silver thermostat 1-10 t.max.°C 1-10°C rotation 270° ED ø 59mm ID ø 45.5mm			





















accessories for	112173			
	No.	110541	Ref. No.	—
	knob dial plate silver gas tap without ignition flame EGA26400 t.max.°C ED ø 59mm ID ø 45.5mm			
	No.	110542	Ref. No.	N/A
	knob dial plate silver switch 0-1-0-1 t.max.°C ED ø 59mm ID ø 45.5mm			
	No.	110543	Ref. No.	—
	knob dial plate silver gas thermostat EGA 1-8 t.max.°C ED ø 59mm ID ø 45.5mm			
	No.	110544	Ref. No.	—
	knob dial plate silver 0-FRITTIEREN-0-SCHMELZEN t.max.°C ED ø 59mm ID ø 45.5mm			
	No.	110545	Ref. No.	—
	knob dial plate silver thermostat t.max. 110°C 30-110°C rotation 310° ED ø 59mm ID ø 45.5mm			
	No.	110546	Ref. No.	—
	knob dial plate red thermostat t.max. 110°C 30-110°C rotation 270° ED ø 59mm ID ø 45.5mm			
	No.	110547	Ref. No.	—
	knob dial plate red gas thermostat EGA 1-8 t.max.°C ED ø 59mm ID ø 45.5mm			
	No.	110548	Ref. No.	—
	knob dial plate red switch 1-2-1-2 t.max.°C ED ø 59mm ID ø 45.5mm			
	No.	110549	Ref. No.	N/A
	knob dial plate red thermostat t.max. 300°C 50-300°C rotation 270° ED ø 59mm ID ø 45.5mm			
	No.	110550	Ref. No.	—
	knob dial plate silver gas tap with ignition flame EGA26440 t.max.°C ED ø 59mm ID ø 45.5mm			
	No.	110551	Ref. No.	N/A
	knob dial plate silver energy regulator 1-3 t.max.°C turn direction clockwise ED ø 59mm ID ø 45.5mm			
	No.	110552	Ref. No.	N/A
	knob dial plate silver switch 7-position t.max.°C ED ø 59mm ID ø 45.5mm			
	No.	110553	Ref. No.	—
	knob dial plate silver switch 4-position t.max.°C ED ø 59mm ID ø 45.5mm			
	No.	110554	Ref. No.	—
	knob dial plate silver thermostat t.max. 300°C 0-300°C rotation 270° ED ø 59mm ID ø 45.5mm			
	No.	110555	Ref. No.	—
	knob dial plate silver time 120min + permanent ON t.max.°C ED ø 59mm ID ø 45.5mm			
	No.	110556	Ref. No.	—
	knob dial plate silver thermostat t.max. 100°C 0-100°C rotation 270° ED ø 59mm ID ø 45.5mm			
	No.	110557	Ref. No.	—
	knob dial plate silver thermostat t.max. 270°C 0-270°C rotation 250° ED ø 59mm ID ø 45.5mm			
	No.	110558	Ref. No.	—
	knob dial plate silver gas tap PEL21/22/23 t.max.°C ED ø 59mm ID ø 45.5mm PEL			
	No.	111553	Ref. No.	N/A
	knob dial plate silver switch 5-position t.max.°C ED ø 59mm ID ø 45.5mm			
	No.	111560	Ref. No.	—
	knob dial plate silver energy regulator 1-3 2-circuit t.max.°C ED ø 59mm ID ø 45.5mm			

¹matching adapter and symbol must be ordered separately



accessories for 112173		No.	Ref. No.	
	knob dial plate silver thermostat t.max. 195°C 100-195°C rotation 270° ED ø 59mm ID ø 45.5mm	111563		—
	knob dial plate silver thermostat t.max. 185°C 100-185°C rotation 270° ED ø 59mm ID ø 45.5mm	111564		—
	knob dial plate silver thermostat t.max. 110°C 60-110°C rotation 180° ED ø 59mm ID ø 45.5mm	111565		—
	knob dial plate silver switch 2-0-1 t.max.°C°C ED ø 59mm ID ø 45.5mm	111566		—
	knob dial plate black manual/automatic t.max.°C°C	111567		—
	knob dial plate red gas thermostat ROBERTSHAW t.max.°C°C ED ø 59mm ID ø 45.5mm	111568		—
	knob dial plate silver switch 1-2-1-2 t.max.°C°C ED ø 59mm ID ø 45.5mm	111711		—
	knob dial plate silver thermostat t.max. 110°C 30-110°C rotation 270° ED ø 59mm ID ø 45.5mm	111878		—
	knob dial plate silver oven t.max.°C°C ED ø 59mm ID ø 45.5mm	111946		—
	knob dial plate silver thermostat t.max. 250°C 50-250°C rotation 270° ED ø 59mm ID ø 45.5mm	111947		—
	knob dial plate silver thermostat t.max. 300°C 50-300°C rotation 310° ED ø 59mm ID ø 45.5mm	111961		—
	knob adapter shaft ø 10x8mm L 0mm	112174		N/A
	knob adapter shaft ø 8x6.5mm L 0mm	112175		—
	knob adapter shaft ø 8x7mm L 0mm	112177		—
	knob adapter shaft ø 8x5mm L 0mm	112178		N/A
	knob adapter shaft ø 9x6.5mm L 0mm	112179		N/A
	knob dial plate red switch 0-1-0-1 t.max.°C ED ø 59mm ID ø 45.5mm	112252		—
	knob dial plate red switch 4-position t.max.°C ED ø 59mm ID ø 45.5mm	112254		—
	knob dial plate red switch 7-position t.max.°C ED ø 59mm ID ø 45.5mm	112256		—
	knob dial plate red thermostat t.max. 90°C 30-90°C rotation 270° ED ø 59mm ID ø 45.5mm	112258		—

accessories for 112173		No.	Ref. No.	
	knob dial plate silver thermostat t.max. 90°C 30-90°C rotation 270° ED ø 59mm ID ø 45.5mm	112259		—
	knob dial plate red thermostat t.max. 90°C 30-90°C rotation 310° ED ø 59mm ID ø 45.5mm	112260		—
	knob dial plate silver thermostat t.max. 90°C 30-90°C rotation 310° ED ø 59mm ID ø 45.5mm	112261		—
	knob dial plate red thermostat t.max. 110°C 30-110°C rotation 310° ED ø 59mm ID ø 45.5mm	112264		—
	knob dial plate red thermostat t.max. 180°C 100-180°C rotation 270° ED ø 59mm ID ø 45.5mm	112266		—
	knob dial plate silver thermostat t.max. 180°C 100-180°C rotation 270° ED ø 59mm ID ø 45.5mm	112267		N/A
	knob dial plate red thermostat t.max. 195°C 100-195°C rotation 270° ED ø 59mm ID ø 45.5mm	112268		—
	washer shaft ø 6x4.6mm ø 16mm H 1mm Qty 10 pcs	112269		93979
	washer shaft ø 8x5/8x6.5/8x7/7x7mm ø 16mm H 1mm Qty 10 pcs	112270		—
	washer shaft ø 9x6.5/10x8/10x9/8x8mm ø 16mm H 1mm Qty 10 pcs	112271		—
	knob dial plate red thermostat t.max. 300°C 50-300°C rotation 310° ED ø 59mm ID ø 45.5mm	112272		—
	knob dial plate red thermostat t.max. 320°C 50-320°C rotation 270° ED ø 59mm ID ø 45.5mm	112276		—
	knob dial plate silver thermostat t.max. 320°C 50-320°C rotation 270° ED ø 59mm ID ø 45.5mm	112277		—
	knob dial plate red energy regulator 1-3 t.max.°C turn direction clockwise ED ø 59mm ID ø 45.5mm	112278		—
	knob dial plate silver gas tap with ignition flame EGA24197 t.max.°C ED ø 59mm ID ø 45.5mm	112281		—
	knob dial plate red gas tap PEL21/22/23 t.max.°C ED ø 59mm ID ø 45.5mm	112282		—
	knob dial plate red gas tap without ignition flame PEL20 t.max.°C ED ø 59mm ID ø 45.5mm	112284		—
	knob dial plate silver gas tap without ignition flame PEL20 t.max.°C ED ø 59mm ID ø 45.5mm	112285		—
	knob dial plate red gas thermostat PEL 1-8 t.max.°C ED ø 59mm ID ø 45.5mm	112288		—
	knob dial plate silver gas thermostat PEL 1-8 t.max.°C ED ø 59mm ID ø 45.5mm	112289		—

accessories for		112173	
No.	Ref. No.		
	No. 112290	Ref. No.	—
knob dial plate red switch zero mark t.max.°C ED ø 59mm ID ø 45.5mm			
	No. 112292	Ref. No.	—
knob dial plate red thermostat 1-10 t.max.°C rotation 270° ED ø 59mm ID ø 45.5mm			
	No. 112294	Ref. No.	—
knob dial plate red thermostat 1-10 t.max.°C rotation 310° ED ø 59mm ID ø 45.5mm			
	No. 112295	Ref. No.	—
knob dial plate silver thermostat 1-10 t.max.°C rotation 310° ED ø 59mm ID ø 45.5mm			
	No. 112298	Ref. No.	93972
knob dial plate red switch 5-position t.max.°C ED ø 59mm ID ø 45.5mm			
	No. 112299	Ref. No.	—
knob dial plate red thermostat t.max. 185°C 100-185°C rotation 270° ED ø 59mm ID ø 45.5mm			
	No. 112300	Ref. No.	—
knob dial plate red thermostat t.max. 300°C 60-300°C rotation 270° ED ø 59mm ID ø 45.5mm			
	No. 112301	Ref. No.	—
knob dial plate red energy regulator 1-3 2-circuit t.max.°C ED ø 59mm ID ø 45.5mm			
	No. 112304	Ref. No.	—
knob adapter shaft ø 7x7mm L 0mm			
	No. 112305	Ref. No.	—
knob adapter shaft ø 8x8mm L 0mm			
	No. 112308	Ref. No.	—
knob dial plate red gas tap with ignition flame STN3R t.max.°C ED ø 59mm ID ø 45.5mm			
	No. 112309	Ref. No.	—
knob dial plate silver gas tap with ignition flame STN3R t.max.°C ED ø 59mm ID ø 45.5mm			
	No. 112311	Ref. No.	N/A
knob adapter shaft ø 6x4.6mm L 0mm with spring			
	No. 112312	Ref. No.	—
knob adapter shaft ø 10x9mm L 0mm			
	No. 112332	Ref. No.	—
knob dial plate red gas thermostat EUROSIT 1-8 t.max.°C ED ø 59mm ID ø 45.5mm			
	No. 112333	Ref. No.	—
knob dial plate silver gas thermostat EUROSIT 1-8 t.max.°C ED ø 59mm ID ø 45.5mm			
	No. 112334	Ref. No.	—
knob dial plate red gas thermostat SABAF 1-8 t.max.°C ED ø 59mm ID ø 45.5mm			
	No. 112335	Ref. No.	—
knob dial plate silver gas thermostat SABAF 1-8 t.max.°C ED ø 59mm ID ø 45.5mm			
	No. 112336	Ref. No.	—
knob dial plate red oven TH/BH/TH+BH t.max.°C turn direction anti clockwise ED ø 59mm ID ø 45.5mm			
	No. 112337	Ref. No.	—
knob dial plate silver oven TH/BH/TH+BH t.max.°C turn direction anti clockwise ED ø 59mm ID ø 45.5mm			





















accessories for		112173	
No.	Ref. No.		
	No. 112338	Ref. No.	—
knob dial plate red oven TH/BH/TH+BH t.max.°C turn direction clockwise ED ø 59mm ID ø 45.5mm			
	No. 112339	Ref. No.	—
knob dial plate silver oven TH/BH/TH+BH t.max.°C turn direction clockwise ED ø 59mm ID ø 45.5mm			
	No. 112342	Ref. No.	—
knob adapter shaft ø 8mm L 0mm with screw			
	No. 112343	Ref. No.	N/A
knob adapter shaft ø 10mm L 0mm with screw			
	No. 112344	Ref. No.	—
knob dial plate red switch 0-1 t.max.°C ED ø 59mm ID ø 45.5mm			
	No. 112345	Ref. No.	—
knob dial plate silver switch 0-1 t.max.°C ED ø 59mm ID ø 45.5mm			
	No. 112348	Ref. No.	—
knob dial plate red switch 0-1-2 t.max.°C ED ø 59mm ID ø 45.5mm			
	No. 112349	Ref. No.	—
knob dial plate silver switch 0-1-2 t.max.°C ED ø 59mm ID ø 45.5mm			
	No. 112352	Ref. No.	—
knob dial plate red gas tap with ignition flame COPRECI t.max.°C ED ø 59mm ID ø 45.5mm			
	No. 112353	Ref. No.	—
knob dial plate silver gas tap with ignition flame COPRECI t.max.°C ED ø 59mm ID ø 45.5mm			
	No. 112360	Ref. No.	—
knob dial plate red gas thermostat COPRECI 1-8 t.max.°C ED ø 59mm ID ø 45.5mm			
	No. 112361	Ref. No.	—
knob dial plate silver gas thermostat COPRECI 1-8 t.max.°C ED ø 59mm ID ø 45.5mm			
	No. 112365	Ref. No.	—
knob dial plate silver gas valves NOVASIT t.max.°C ED ø 59mm ID ø 45.5mm			
	No. 112369	Ref. No.	—
knob dial plate silver water tap cold t.max.°C ED ø 59mm ID ø 45.5mm			
	No. 112377	Ref. No.	—
knob dial plate silver oven TH/BH/TH+BH t.max.°C turn direction anti clockwise ED ø 59mm ID ø 45.5mm			
	No. 112382	Ref. No.	—
knob dial plate red gas tap with ignition flame EGA26440 t.max.°C ED ø 59mm ID ø 45.5mm			
	No. 112384	Ref. No.	—
knob dial plate silver thermostat t.max. 150°C 40-150°C rotation 270° ED ø 59mm ID ø 45.5mm			
	No. 112387	Ref. No.	—
knob dial plate universal red			
	No. 112388	Ref. No.	—
knob dial plate universal silver			

Table continues overleaf

































accessories for		112173		
No.	112391	Ref. No.	—	
	knob dial plate silver thermostat t.max. 85°C 30-85°C rotation 270° ED ø 59mm ID ø 45.5mm			
No.	112394	Ref. No.	—	
	knob dial plate red thermostat t.max. 200°C 60-200°C rotation 270° ED ø 59mm ID ø 45.5mm			
No.	112395	Ref. No.	—	
	knob dial plate silver thermostat t.max. 200°C 60-200°C rotation 270° ED ø 59mm ID ø 45.5mm			
No.	112398	Ref. No.	—	
	knob dial plate red thermostat t.max. 220°C 100-220°C rotation 310° ED ø 59mm ID ø 45.5mm			
No.	112399	Ref. No.	—	
	knob dial plate silver thermostat t.max. 220°C 100-220°C rotation 310° ED ø 59mm ID ø 45.5mm			
No.	112402	Ref. No.	—	
	knob dial plate red thermostat t.max. 350°C 100-350°C rotation 310° ED ø 59mm ID ø 45.5mm			
No.	112403	Ref. No.	—	
	knob dial plate silver thermostat t.max. 350°C 100-350°C rotation 310° ED ø 59mm ID ø 45.5mm			
No.	112406	Ref. No.	—	
	knob dial plate red thermostat t.max. 500°C 50-500°C rotation 270° ED ø 59mm ID ø 45.5mm			
No.	112407	Ref. No.	—	
	knob dial plate silver thermostat t.max. 500°C 50-500°C rotation 270° ED ø 59mm ID ø 45.5mm			
No.	112411	Ref. No.	—	
	knob dial plate silver thermostat t.max. 500°C 50-500°C rotation 310° ED ø 59mm ID ø 45.5mm			
No.	112448	Ref. No.	—	
	knob dial plate silver thermostat t.max. 100°C 40-100°C rotation 270° ED ø 59mm ID ø 45.5mm			
No.	112450	Ref. No.	—	
	knob adapter shaft ø 8x6.5mm L 0mm			
No.	112457	Ref. No.	—	
	knob dial plate black/yellow energy regulator 1-circuit t.max.°C turn direction clockwise ED ø 59mm ID ø 45.5mm			
No.	112461	Ref. No.	—	
	knob dial plate silver thermostat t.max. 190°C 120-190°C rotation 270° ED ø 59mm ID ø 45.5mm			
No.	112514	Ref. No.	—	
	knob adapter shaft ø 10x8mm L 6mm			
No.	112515	Ref. No.	—	
	knob adapter shaft ø 8x6.5mm L 6mm			
No.	112516	Ref. No.	—	
	knob adapter shaft ø 6x4.6mm L 6mm			
No.	112522	Ref. No.	—	
	knob dial plate silver energy regulator 1-3 t.max.°C turn direction anti clockwise ED ø 59mm ID ø 45.5mm			
No.	112601	Ref. No.	—	
	knob dial plate silver gas thermostat MERTIK 1-8 t.max.°C ED ø 59mm ID ø 45.5mm			
No.	112602	Ref. No.	—	
	knob dial plate red gas thermostat MERTIK 1-8 t.max.°C ED ø 59mm ID ø 45.5mm			

accessories for		112173		
No.	112651	Ref. No.	—	
	knob dial plate universal black			

				
1				
No.	112568 ¹	Ref. No.	94651-001	
description	knob universal ø 62mm silver-coloured without adaptor/dial plate zamak			
accessories for	112568			
No.	110530	Ref. No.	—	
	knob dial plate silver thermostat t.max. 300°C 60-300°C rotation 270° ED ø 59mm ID ø 45.5mm			
No.	110531	Ref. No.	—	
	knob dial plate silver time 120min + permanent ON t.max.°C ED ø 59mm ID ø 45.5mm			
No.	110532	Ref. No.	—	
	knob dial plate red thermostat t.max. 300°C 0-300°C rotation 270° ED ø 59mm ID ø 45.5mm			
No.	110533	Ref. No.	—	
	knob dial plate red thermostat t.max. 100°C 0-100°C rotation 270° ED ø 59mm ID ø 45.5mm			
No.	110534	Ref. No.	—	
	knob dial plate silver time 120min + permanent ON t.max.°C ED ø 59mm ID ø 45.5mm			
No.	110535	Ref. No.	—	
	knob dial plate red thermostat t.max. 250°C 50-250°C rotation 270° ED ø 59mm ID ø 45.5mm			
No.	110536	Ref. No.	—	
	knob dial plate silver thermostat t.max. 195°C 100-195°C rotation 270° ED ø 59mm ID ø 45.5mm			
No.	110537	Ref. No.	—	
	knob dial plate silver switch zero mark t.max.°C ED ø 59mm ID ø 45.5mm			
No.	110538	Ref. No.	—	
	knob dial plate red gas tap with ignition flame EGA24197 t.max.°C ED ø 59mm ID ø 45.5mm			
No.	110539	Ref. No.	—	
	knob dial plate silver switch 2-0-1 t.max.°C 1-2°C ED ø 59mm ID ø 45.5mm			
No.	110540	Ref. No.	94222	
	knob dial plate silver thermostat 1-10 t.max.°C 1-10°C rotation 270° ED ø 59mm ID ø 45.5mm			
No.	110541	Ref. No.	—	
	knob dial plate silver gas tap without ignition flame EGA26400 t.max.°C ED ø 59mm ID ø 45.5mm			
No.	110542	Ref. No.	N/A	
	knob dial plate silver switch 0-1-0-1 t.max.°C ED ø 59mm ID ø 45.5mm			
No.	110543	Ref. No.	—	
	knob dial plate silver gas thermostat EGA 1-8 t.max.°C ED ø 59mm ID ø 45.5mm			
No.	110544	Ref. No.	—	
	knob dial plate silver 0-FRITTIEREN-0-SCHMELZEN t.max.°C ED ø 59mm ID ø 45.5mm			

¹matching adapter and symbol must be ordered separately

accessories for		112568		
No.	Ref. No.			
	No. 110545	Ref. No.		—
knob dial plate silver thermostat t.max. 110°C 30-110°C rotation 310° ED ø 59mm ID ø 45.5mm				
	No. 110546	Ref. No.		—
knob dial plate red thermostat t.max. 110°C 30-110°C rotation 270° ED ø 59mm ID ø 45.5mm				
	No. 110547	Ref. No.		—
knob dial plate red gas thermostat EGA 1-8 t.max.°C°C ED ø 59mm ID ø 45.5mm				
	No. 110548	Ref. No.		—
knob dial plate red switch 1-2-1-2 t.max.°C°C ED ø 59mm ID ø 45.5mm				
	No. 110549	Ref. No.		N/A
knob dial plate red thermostat t.max. 300°C 50-300°C rotation 270° ED ø 59mm ID ø 45.5mm				
	No. 110550	Ref. No.		—
knob dial plate silver gas tap with ignition flame EGA26440 t.max.°C°C ED ø 59mm ID ø 45.5mm				
	No. 110551	Ref. No.		N/A
knob dial plate silver energy regulator 1-3 t.max.°C°C turn direction clockwise ED ø 59mm ID ø 45.5mm				
	No. 110552	Ref. No.		N/A
knob dial plate silver switch 7-position t.max.°C°C ED ø 59mm ID ø 45.5mm				
	No. 110553	Ref. No.		—
knob dial plate silver switch 4-position t.max.°C°C ED ø 59mm ID ø 45.5mm				
	No. 110554	Ref. No.		—
knob dial plate silver thermostat t.max. 300°C 0-300°C rotation 270° ED ø 59mm ID ø 45.5mm				
	No. 110555	Ref. No.		—
knob dial plate silver time 120min + permanent ON t.max.°C°C ED ø 59mm ID ø 45.5mm				
	No. 110556	Ref. No.		—
knob dial plate silver thermostat t.max. 100°C 0-100°C rotation 270° ED ø 59mm ID ø 45.5mm				
	No. 110557	Ref. No.		—
knob dial plate silver thermostat t.max. 270°C 0-270°C rotation 250° ED ø 59mm ID ø 45.5mm				
	No. 110558	Ref. No.		—
knob dial plate silver gas tap PEL21/22/23 t.max.°C°C ED ø 59mm ID ø 45.5mm PEL				
	No. 111553	Ref. No.		N/A
knob dial plate silver switch 5-position t.max.°C°C ED ø 59mm ID ø 45.5mm				
	No. 111560	Ref. No.		—
knob dial plate silver energy regulator 1-3 2-circuit t.max.°C°C ED ø 59mm ID ø 45.5mm				
	No. 111563	Ref. No.		—
knob dial plate silver thermostat t.max. 195°C 100-195°C rotation 270° ED ø 59mm ID ø 45.5mm				
	No. 111564	Ref. No.		—
knob dial plate silver thermostat t.max. 185°C 100-185°C rotation 270° ED ø 59mm ID ø 45.5mm				
	No. 111565	Ref. No.		—
knob dial plate silver thermostat t.max. 110°C 60-110°C rotation 180° ED ø 59mm ID ø 45.5mm				
	No. 111566	Ref. No.		—
knob dial plate silver switch 2-0-1 t.max.°C°C ED ø 59mm ID ø 45.5mm				

















accessories for		112568		
No.	Ref. No.			
	No. 111567	Ref. No.		—
knob dial plate black manual/automatic t.max.°C°C				
	No. 111568	Ref. No.		—
knob dial plate red gas thermostat ROBERTSHAW t.max.°C°C ED ø 59mm ID ø 45.5mm				
	No. 111711	Ref. No.		—
knob dial plate silver switch 1-2-1-2 t.max.°C°C ED ø 59mm ID ø 45.5mm				
	No. 111878	Ref. No.		—
knob dial plate silver thermostat t.max. 110°C 30-110°C rotation 270° ED ø 59mm ID ø 45.5mm				
	No. 111946	Ref. No.		—
knob dial plate silver oven t.max.°C°C ED ø 59mm ID ø 45.5mm				
	No. 111947	Ref. No.		—
knob dial plate silver thermostat t.max. 250°C 50-250°C rotation 270° ED ø 59mm ID ø 45.5mm				
	No. 111961	Ref. No.		—
knob dial plate silver thermostat t.max. 300°C 50-300°C rotation 310° ED ø 59mm ID ø 45.5mm				
	No. 112174	Ref. No.		N/A
knob adapter shaft ø 10x8mm L 0mm				
	No. 112175	Ref. No.		—
knob adapter shaft ø 8x6.5mm L 0mm				
	No. 112177	Ref. No.		—
knob adapter shaft ø 8x7mm L 0mm				
	No. 112178	Ref. No.		N/A
knob adapter shaft ø 8x5mm L 0mm				
	No. 112179	Ref. No.		N/A
knob adapter shaft ø 9x6.5mm L 0mm				
	No. 112252	Ref. No.		—
knob dial plate red switch 0-1-0-1 t.max.°C ED ø 59mm ID ø 45.5mm				
	No. 112254	Ref. No.		—
knob dial plate red switch 4-position t.max.°C ED ø 59mm ID ø 45.5mm				
	No. 112256	Ref. No.		—
knob dial plate red switch 7-position t.max.°C ED ø 59mm ID ø 45.5mm				
	No. 112258	Ref. No.		—
knob dial plate red thermostat t.max. 90°C 30-90°C rotation 270° ED ø 59mm ID ø 45.5mm				
	No. 112259	Ref. No.		—
knob dial plate silver thermostat t.max. 90°C 30-90°C rotation 270° ED ø 59mm ID ø 45.5mm				
	No. 112260	Ref. No.		—
knob dial plate red thermostat t.max. 90°C 30-90°C rotation 310° ED ø 59mm ID ø 45.5mm				
	No. 112261	Ref. No.		—
knob dial plate silver thermostat t.max. 90°C 30-90°C rotation 310° ED ø 59mm ID ø 45.5mm				
	No. 112264	Ref. No.		—
knob dial plate red thermostat t.max. 110°C 30-110°C rotation 310° ED ø 59mm ID ø 45.5mm				




















accessories for 112568		No.	Ref. No.	
	knob dial plate red thermostat t.max. 180°C 100-180°C rotation 270° ED ø 59mm ID ø 45.5mm	112266		—
	knob dial plate silver thermostat t.max. 180°C 100-180°C rotation 270° ED ø 59mm ID ø 45.5mm	112267		N/A
	knob dial plate red thermostat t.max. 195°C 100-195°C rotation 270° ED ø 59mm ID ø 45.5mm	112268		—
	washer shaft ø 6x4.6mm ø 16mm H 1mm Qty 10 pcs	112269		93979
	washer shaft ø 8x5/8x6.5/8x7/7x7mm ø 16mm H 1mm Qty 10 pcs	112270		—
	washer shaft ø 9x6.5/10x8/10x9/8x8mm ø 16mm H 1mm Qty 10 pcs	112271		—
	knob dial plate red thermostat t.max. 300°C 50-300°C rotation 310° ED ø 59mm ID ø 45.5mm	112272		—
	knob dial plate red thermostat t.max. 320°C 50-320°C rotation 270° ED ø 59mm ID ø 45.5mm	112276		—
	knob dial plate silver thermostat t.max. 320°C 50-320°C rotation 270° ED ø 59mm ID ø 45.5mm	112277		—
	knob dial plate red energy regulator 1-3 t.max.°C turn direction clockwise ED ø 59mm ID ø 45.5mm	112278		—
	knob dial plate silver gas tap with ignition flame EGA24197 t.max.°C ED ø 59mm ID ø 45.5mm	112281		—
	knob dial plate red gas tap PEL21/22/23 t.max.°C ED ø 59mm ID ø 45.5mm	112282		—
	knob dial plate red gas tap without ignition flame PEL20 t.max.°C ED ø 59mm ID ø 45.5mm	112284		—
	knob dial plate silver gas tap without ignition flame PEL20 t.max.°C ED ø 59mm ID ø 45.5mm	112285		—
	knob dial plate red gas thermostat PEL 1-8 t.max.°C ED ø 59mm ID ø 45.5mm	112288		—
	knob dial plate silver gas thermostat PEL 1-8 t.max.°C ED ø 59mm ID ø 45.5mm	112289		—
	knob dial plate red switch zero mark t.max.°C ED ø 59mm ID ø 45.5mm	112290		—
	knob dial plate red thermostat 1-10 t.max.°C rotation 270° ED ø 59mm ID ø 45.5mm	112292		—
	knob dial plate red thermostat 1-10 t.max.°C rotation 310° ED ø 59mm ID ø 45.5mm	112294		—
	knob dial plate silver thermostat 1-10 t.max.°C rotation 310° ED ø 59mm ID ø 45.5mm	112295		—


accessories for 112568		No.	Ref. No.	
	knob dial plate red switch 5-position t.max.°C ED ø 59mm ID ø 45.5mm	112298		93972
	knob dial plate red thermostat t.max. 185°C 100-185°C rotation 270° ED ø 59mm ID ø 45.5mm	112299		—
	knob dial plate red thermostat t.max. 300°C 60-300°C rotation 270° ED ø 59mm ID ø 45.5mm	112300		—
	knob dial plate red energy regulator 1-3 2-circuit t.max.°C ED ø 59mm ID ø 45.5mm	112301		—
	knob adapter shaft ø 7x7mm L 0mm	112304		—
	knob adapter shaft ø 8x8mm L 0mm	112305		—
	knob dial plate red gas tap with ignition flame STN3R t.max.°C ED ø 59mm ID ø 45.5mm	112308		—
	knob dial plate silver gas tap with ignition flame STN3R t.max.°C ED ø 59mm ID ø 45.5mm	112309		—
	knob adapter shaft ø 6x4.6mm L 0mm with spring	112311		N/A
	knob adapter shaft ø 10x9mm L 0mm	112312		—
	knob dial plate red gas thermostat EUROSIT 1-8 t.max.°C ED ø 59mm ID ø 45.5mm	112332		—
	knob dial plate silver gas thermostat EUROSIT 1-8 t.max.°C ED ø 59mm ID ø 45.5mm	112333		—
	knob dial plate red gas thermostat SABAF 1-8 t.max.°C ED ø 59mm ID ø 45.5mm	112334		—
	knob dial plate silver gas thermostat SABAF 1-8 t.max.°C ED ø 59mm ID ø 45.5mm	112335		—
	knob dial plate red oven TH/BH/TH+BH t.max.°C turn direction anti clockwise ED ø 59mm ID ø 45.5mm	112336		—
	knob dial plate silver oven TH/BH/TH+BH t.max.°C turn direction anti clockwise ED ø 59mm ID ø 45.5mm	112337		—
	knob dial plate red oven TH/BH/TH+BH t.max.°C turn direction clockwise ED ø 59mm ID ø 45.5mm	112338		—
	knob dial plate silver oven TH/BH/TH+BH t.max.°C turn direction clockwise ED ø 59mm ID ø 45.5mm	112339		—
	knob adapter shaft ø 8mm L 0mm with screw	112342		—


Table continues overleaf


accessories for 112568		No.	Ref. No.	
	knob adapter shaft ø 10mm L 0mm with screw	112343		N/A
	knob dial plate red switch 0-1 t.max.°C ED ø 59mm ID ø 45,5mm	112344		—
	knob dial plate silver switch 0-1 t.max.°C ED ø 59mm ID ø 45,5mm	112345		—
	knob dial plate red switch 0-1-2 t.max.°C ED ø 59mm ID ø 45,5mm	112348		—
	knob dial plate silver switch 0-1-2 t.max.°C ED ø 59mm ID ø 45,5mm	112349		—
	knob dial plate red gas tap with ignition flame COPRECI t.max.°C ED ø 59mm ID ø 45,5mm	112352		—
	knob dial plate silver gas tap with ignition flame COPRECI t.max.°C ED ø 59mm ID ø 45,5mm	112353		—
	knob dial plate red gas thermostat COPRECI 1-8 t.max.°C ED ø 59mm ID ø 45,5mm	112360		—
	knob dial plate silver gas thermostat COPRECI 1-8 t.max.°C ED ø 59mm ID ø 45,5mm	112361		—
	knob dial plate silver gas valves NOVASIT t.max.°C ED ø 59mm ID ø 45,5mm	112365		—
	knob dial plate silver water tap cold t.max.°C ED ø 59mm ID ø 45,5mm	112369		—
	knob dial plate silver oven TH/BH/TH+BH t.max.°C turn direction anti clockwise ED ø 59mm ID ø 45,5mm	112377		—
	knob dial plate red gas tap with ignition flame EGA26440 t.max.°C ED ø 59mm ID ø 45,5mm	112382		—
	knob dial plate silver thermostat t.max. 150°C 40-150°C rotation 270° ED ø 59mm ID ø 45,5mm	112384		—
	knob dial plate universal red	112387		—
	knob dial plate universal silver	112388		—
	knob dial plate silver thermostat t.max. 85°C 30-85°C rotation 270° ED ø 59mm ID ø 45,5mm	112391		—
	knob dial plate red thermostat t.max. 200°C 60-200°C rotation 270° ED ø 59mm ID ø 45,5mm	112394		—
	knob dial plate silver thermostat t.max. 200°C 60-200°C rotation 270° ED ø 59mm ID ø 45,5mm	112395		—
	knob dial plate red thermostat t.max. 220°C 100-220°C rotation 310° ED ø 59mm ID ø 45,5mm	112398		—


accessories for 112568		No.	Ref. No.	
	knob dial plate silver thermostat t.max. 220°C 100-220°C rotation 310° ED ø 59mm ID ø 45,5mm	112399		—
	knob dial plate red thermostat t.max. 350°C 100-350°C rotation 310° ED ø 59mm ID ø 45,5mm	112402		—
	knob dial plate silver thermostat t.max. 350°C 100-350°C rotation 310° ED ø 59mm ID ø 45,5mm	112403		—
	knob dial plate red thermostat t.max. 500°C 50-500°C rotation 270° ED ø 59mm ID ø 45,5mm	112406		—
	knob dial plate silver thermostat t.max. 500°C 50-500°C rotation 270° ED ø 59mm ID ø 45,5mm	112407		—
	knob dial plate silver thermostat t.max. 500°C 50-500°C rotation 310° ED ø 59mm ID ø 45,5mm	112411		—
	knob dial plate silver thermostat t.max. 100°C 40-100°C rotation 270° ED ø 59mm ID ø 45,5mm	112448		—
	knob adapter shaft ø 8x6,5mm L 0mm	112450		—
	knob dial plate black/yellow energy regulator 1-circuit t.max.°C turn direction clockwise ED ø 59mm ID ø 45,5mm	112457		—
	knob dial plate silver thermostat t.max. 190°C 120-190°C rotation 270° ED ø 59mm ID ø 45,5mm	112461		—
	knob adapter shaft ø 10x8mm L 6mm	112514		—
	knob adapter shaft ø 8x6,5mm L 6mm	112515		—
	knob adapter shaft ø 6x4,6mm L 6mm	112516		—
	knob dial plate silver energy regulator 1-3 t.max.°C turn direction anti clockwise ED ø 59mm ID ø 45,5mm	112522		—
	knob dial plate silver gas thermostat MERTIK 1-8 t.max.°C ED ø 59mm ID ø 45,5mm	112601		—
	knob dial plate red gas thermostat MERTIK 1-8 t.max.°C ED ø 59mm ID ø 45,5mm	112602		—
	knob dial plate universal black	112651		—





			
1			
No.	112343	Ref. No.	N/A
description	knob adapter shaft ø 10mm L 0mm with screw		


			
1			
No.	112174	Ref. No.	N/A
description	knob adapter shaft ø 10x8mm L 0mm		


			
1			
No.	112311	Ref. No.	N/A
description	knob adapter shaft ø 6x4.6mm L 0mm with spring		


			
1			
No.	112178	Ref. No.	N/A
description	knob adapter shaft ø 8x5mm L 0mm		


			
1			
No.	112179	Ref. No.	N/A
description	knob adapter shaft ø 9x6.5mm L 0mm		


			
1			
No.	110549	Ref. No.	N/A
description	knob dial plate red thermostat t.max. 300°C 50-300°C rotation 270° ED ø 59mm ID ø 45.5mm		

			
1			
No.	110551	Ref. No.	N/A
description	knob dial plate silver energy regulator 1-3 t.max.°C°C turn direction clockwise ED ø 59mm ID ø 45.5mm		

			
1			
No.	110542	Ref. No.	N/A
description	knob dial plate silver switch 0-1-0-1 t.max.°C°C ED ø 59mm ID ø 45.5mm		

			
1			
No.	111553	Ref. No.	N/A
description	knob dial plate silver switch 5-position t.max.°C°C ED ø 59mm ID ø 45.5mm		

			
1			
No.	110552	Ref. No.	N/A
description	knob dial plate silver switch 7-position t.max.°C°C ED ø 59mm ID ø 45.5mm		

			
1			
No.	112267	Ref. No.	N/A
description	knob dial plate silver thermostat t.max. 180°C 100-180°C rotation 270° ED ø 59mm ID ø 45.5mm		

baskets

fryer baskets

HEIDEBRENNER



1

No.	970149	Ref. No.	98856
description	fryer basket L1 340mm W1 310mm H1 125mm		

gaskets

sealing washers

aluminium gaskets



1

No.	101293	Ref. No.	94481
description	flat gasket aluminium ED ø 14mm ID ø 10.3mm for pilot burner Qty 1 pcs		

fastening material

nuts

hexagonal nuts

hexagonal nuts metric (without norm)



1

No.	101501	Ref. No.	93282
description	nut thread M12x0.75 H 2mm WS 16 brass Qty 1 pcs		



1

No.	102067	Ref. No.	93123
description	nut thread M8x1 H 3mm brass Qty 1 pcs type SEF 1		