

Professionall

Solutii profesionale pentru echipamente profesionale



GAS COMPONENTS



ELECTRIC COMPONENTS



WATER TECHNOLOGY



MECHANICAL COMPONENTS



TOOLS

Spare parts suitable for

ITALFORNI



thermostats

control and safety thermostats

EGO

control thermostats

55.10/19_ series



1

No.	375253	Ref. No.	86301001
------------	--------	-----------------	----------

description thermostat t.max. 455°C temperature range 85-455°C 1-pole 1NO 16A probe ø 3.9mm probe L 228mm capillary pipe 870mm capillary pipe isolated 660mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°

control thermostats with actual value



1

No.	379039	Ref. No.	86302001
------------	--------	-----------------	----------

description thermostat t.max. 500°C temperature range 0-500°C 1CO 5A probe ø 8mm probe L 150mm capillary pipe 1100mm mounting ø 60mm front measurements 72x72mm

switches and momentary switches

rocker/momentary rocker switches

30x22mm



1

No.	346190	Ref. No.	86125011
------------	--------	-----------------	----------

description rocker switch mounting measurements 30x22mm green 1NO/ NO 12V 6A illuminated I, II connection male faston 6.3mm ambient temperature max. 85°C protection IP65 with cover cap

lamps

indicator lights

indicator lights (complete)

ø10mm

with plug-in socket



1

No.	359140	Ref. No.	86132001
------------	--------	-----------------	----------

description indicator light ø 10mm yellow 230V connection male faston 6.3mm Qty 1 pcs

screw-on/push-on fit

halogen lamp

for socket G4 / G6.35 / G9



1

No.	359599	Ref. No.	86130003
------------	--------	-----------------	----------

description halogen lamp socket G4 12V 20W temp.-resist. 500°C

oven lamps

universal oven lamps

mounting diameter 35.5mm



1

No.	357162	Ref. No.	86131004
------------	--------	-----------------	----------

description oven lamp mounting ø 35.5mm 12V 20W socket G4 temp.-resist. 300°C connection cable 450mm hard glas

spare parts for 357162

No.	359599	Ref. No.	86130003
------------	--------	-----------------	----------


description halogen lamp socket G4 12V 20W temp.-resist. 500°C

No.	359762	Ref. No.	86131007
------------	--------	-----------------	----------

description lamp socket socket G4 mounting ø 35.5mm connection cable 450mm


No.	359942	Ref. No.	86133004
------------	--------	-----------------	----------

description oven lamp glass thr.ø 33.5mm ø 41mm hard glas temp.-resist. 350°C

1

No.	359762	Ref. No.	86131007
description	lamp socket socket G4 mounting ø 35.5mm connection cable 450mm		




1

No.	359942	Ref. No.	86133004
description	oven lamp glass thr.ø 33.5mm ø 41mm hard glas temp.-resist. 350°C		

lamps

halogen lamps

for socket G4 / G6.35 / G9




1 **500°C**

No.	359599	Ref. No.	86130003
description	halogen lamp socket G4 12V 20W temp.-resist. 500°C		

contactors

SIEMENS

power contactors




1

No.	380526	Ref. No.	86112001
description	power contactor resistive load 20A 230VAC (AC3/400V) 8.4A/4kW main contacts 4NO auxiliary contacts connection screw connection type 3TG10-10-0A2L2		

transformers

for lighting




1

No.	401847	Ref. No.	86103005
description	transformer primary 230VAC secondary 11.5VAC 50VA secondary 3.95A connection elastic terminals L 195mm W 42mm H 30mm 50/60Hz mounting distance 180mm for lighting		

probes

producer-specific probes

probes




1

No.	379801	Ref. No.	59500001
description	temperature probe thermocouple cable ceramic probe -50 up to +750°C cable -100 up to +1300°C connection grip connection thread probe ø8x140mm cable lengthm		





gas valves and ignition boxes

gas control valves

HONEYWELL



1

No.	101164	Ref. No.	84201002	
description	gas valve type VR4605A 230V 50Hz gas inlet 1/2" gas outlet 1/2" thermocouple connection pilot connection pressure range 3-37mbar operator type 230V (V404A 1329)			
accessories for	101164			
	No.	101305	Ref. No.	—
	gas connection straight 1/2" flange 45x45mm ELETTROSIT/V4400/4600/4605 suitable for SIT/HONEYWELL hole distance 36x36mm			
	No.	101306	Ref. No.	—
	gas connection angled flange 45x45mm hole distance 36x36mm 1/2" ELETTROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL			
	No.	101307	Ref. No.	—
	gas connection straight flange 45x45mm hole distance 36x36mm 3/4" ELETTROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL			
	No.	101308	Ref. No.	—
	gas connection angled flange 45x45mm hole distance 36x36mm 3/4" ELETTROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL			



ignition boxes

BRAHMA

BRAHMA



1

No.	106585	Ref. No.	87101003
description	ignition box BRAHMA type CM191.2 electrodes 2 waiting time 1.5s safety time 10s 230V 7VA 50-60Hz		



1

No.	850038	Ref. No.	59800071
description	firebrick L 590mm W 49mm H 15mm		


equipment-specific units

for pizza ovens

glass panels



1

No.	700335	Ref. No.	58300001
description	glass panel L 330mm W 120mm thickness 8mm		
accessories for	700335		
	No.	900854	Ref. No.
			57700007 59300004
	oven gasket L 332mm W 128mm mineral wool		

1

No.	850024	Ref. No.	21200002
description	firebrick L 600mm W 49mm H 15mm complete incl. holder		



1

No.	850023	Ref. No.	52300002
description	firebrick L 655mm W 320mm H 14mm		

knobs

producer-specific knobs

ITALFORNI



1

No.	112564	Ref. No.	81229005
description	knob thermostat 1-10 ø 49mm shaft ø 6x4.6mm shaft flat upper red rotation 270°		

firebricks



1

No.	850039	Ref. No.	52000384
description	bracket for firebrick L 610mm W 45mm H 8mm		

gaskets

special gaskets

miscellaneous



1

No.	900854	Ref. No.	57700007 59300004
description	oven gasket L 332mm W 128mm mineral wool		

springs

tension springs



1

No.	504856	Ref. No.	80501001
description	tension spring \varnothing 14.5mm total length 153mm wire gauge \varnothing 2mm thread M6 thread L 52mm		

measuring equipment

thermometers

built-in thermometers

 \varnothing 60mm

1

No.	541717	Ref. No.	86501001
description	thermometer mounting \varnothing 60mm t.max. 600°C 0-600°C probe \varnothing 8mm probe L 150mm capillary pipe 760mm		

No.	542311	Ref. No.	86501006
description	thermometer mounting \varnothing 60mm t.max. 600°C 0-600°C probe \varnothing 8mm probe L 80mm capillary pipe 880mm		