

Professionall

Solutii profesionale pentru echipamente profesionale



GAS COMPONENTS



ELECTRIC COMPONENTS



WATER TECHNOLOGY



MECHANICAL COMPONENTS



TOOLS


Spare parts suitable for


ILSA





heating elements

heating elements for pasta cookers

			
1	No.	Ref. No.	R241061
description	heating element 1800W 230V heating circuits 1 L 315mm flange with thread thread 1½" ø 30mm flange ø 70mm flange width 60mm thermostat sleeves ø 6.5mm length thermostat sleeves 255mm cable length 1000mm number of thermostat sleeves 1 pasta cooker thermostat sleeve eccentric, non clinging immersion heater		

			
1	No.	Ref. No.	R241050
description	heating element 1800W 230V heating circuits 1 L 315mm Wmm Hmm flange with thread thread 1" ø 30mm flange ø 50mm flange width 45mm cable length 1000mm immersion heater		


			
1	No.	Ref. No.	R210061
description	heating element 2500W 230V heating circuits 1 L 490mm flange with thread thread 1½" ø 30mm flange ø 70mm flange width 60mm thermostat sleeves ø 6.5mm length thermostat sleeves 255mm cable length 1000mm number of thermostat sleeves 1 pasta cooker immersion heater		


			
1	No.	Ref. No.	R210050
description	heating element 2500W 230V heating circuits 1 L 490mm Wmm Hmm thread 1" ø 30mm flange ø 50mm flange width 45mm cable length 1000mm pasta cooker immersion heater		


heating cables


connection on both sides

with wire end ferrules


			
1	No.	Ref. No.	29789
description	heating cable 23W 220V L 4500mm for blast chiller		


			
1	No.	Ref. No.	27417 R_27417
description	heating cable 26W 230V L 6000mm for blast chiller		


			
1	No.	Ref. No.	27957
description	heating cable 32W 220V L 4450mm for blast chiller		


			
1	No.	Ref. No.	27956
description	heating cable 37W 220V L 4900mm for blast chiller		

heating cartridges

			
1	No.	Ref. No.	R241061
description	heating element 1800W 230V heating circuits 1 L 315mm flange with thread thread 1½" ø 30mm flange ø 70mm flange width 60mm thermostat sleeves ø 6.5mm length thermostat sleeves 255mm cable length 1000mm number of thermostat sleeves 1 pasta cooker thermostat sleeve eccentric, non clinging immersion heater		

			
1	No.	Ref. No.	R241050
description	heating element 1800W 230V heating circuits 1 L 315mm Wmm Hmm flange with thread thread 1" ø 30mm flange ø 50mm flange width 45mm cable length 1000mm immersion heater		


			
1	No.	Ref. No.	R210061
description	heating element 2500W 230V heating circuits 1 L 490mm flange with thread thread 1½" ø 30mm flange ø 70mm flange width 60mm thermostat sleeves ø 6.5mm length thermostat sleeves 255mm cable length 1000mm number of thermostat sleeves 1 pasta cooker immersion heater		


			
1	No.	Ref. No.	R210050
description	heating element 2500W 230V heating circuits 1 L 490mm Wmm Hmm thread 1" ø 30mm flange ø 50mm flange width 45mm cable length 1000mm pasta cooker immersion heater		

accessories

sealing washers


O-rings


			
1	No.	Ref. No.	ID0087
description	O-ring EPDM thickness 3.53mm ID ø 32.93mm Qty 1 pcs		


No.	532545	Ref. No.	ID0088
description	O-ring Viton thickness 3.53mm ID ø 49.21mm Qty 1 pcs		


flange gaskets



No.	520324	Ref. No.	EL0058	
description	counterflange ID ø 160mm ED ø 200mm hole distance 90/180mm hole ø 7mm SS for bottom heaters			
accessories for	520324			
	No.	520323	Ref. No.	—
	gasket ID ø 160mm ED ø 200mm hole distance 90/180mm hole ø 7mm silicone for bottom heaters			

counterflanges




No.	520324	Ref. No.	EL0058	
description	counterflange ID ø 160mm ED ø 200mm hole distance 90/180mm hole ø 7mm SS for bottom heaters			
accessories for	520324			
	No.	520323	Ref. No.	—
	gasket ID ø 160mm ED ø 200mm hole distance 90/180mm hole ø 7mm silicone for bottom heaters			

energy regulators

EGO

1-circuit



No.	380015	Ref. No.	61137
description	energy regulator 230V 13A single-circuit turn direction right shaft ø 6x4.6mm shaft L 23mm mounting thread M4 power release 6-100% no. 50.57021.010		

thermostats

bi-metal thermostats

bi-metal thermostats


No.	390772	Ref. No.	29587
description	bi-metal thermostat hole distance 23.8mm switch-off temp. 110°C 1NC 1-pole 16A 230V connection F6.3		

control and safety thermostats

EGO

control thermostats

55.10/19_ series



No.	375237	Ref. No.	60775
description	thermostat t.max. 190°C temperature range 100-190°C 1-pole 1NO 16A probe ø 6mm probe L 130mm capillary pipe 1800mm capillary pipe isolated 1200mm gland nut M9x1 shaft L 23mm shaft position upper rotation 270°		



No.	375979	Ref. No.	31482
description	thermostat t.max. 70°C temperature range 30-70°C 1-pole 1NO 16A probe ø 6mm probe L 129mm capillary pipe 900mm capillary pipe isolated 900mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		


E-G-O



No.	390040	Ref. No.	60780
description	thermostat t.max. 90°C temperature range 30-90°C 1-pole 1CO 16A probe ø 6mm probe L 130mm capillary pipe 2040mm capillary pipe isolated 1940mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270° probe material SS		

55.13_ series

E-G-O



No.	375492	Ref. No.	31229
description	thermostat t.max. 190°C temperature range 94-190°C 1-pole 1NO 16A probe ø 6mm probe L 94mm capillary pipe 1090mm capillary pipe isolated 960mm gland nut M10x1 shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 310° probe material SS		

55.34_ series

E-G-O





No.	375362	Ref. No.	843735
description	thermostat t.max. 320°C temperature range 55-320°C 3-pole 3NO 10A probe ø 4mm probe L 128mm capillary pipe 900mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		

safety thermostats

55.10/19_ series


E-G-O




No.	375250	Ref. No.	34440
description	safety thermostat capillary pipe 870mm probe ø 6mm 1-pole probe L 129mm 16A capillary pipe isolatedmm gland nut switch-off temp. 130°C probe SS		
spare parts for	375250		
	No.	551083	Ref. No. —
	cap for safety thermostat thread M8x1		

E-G-O



No.	390062	Ref. No.	60986 821167 R_60986
description	safety thermostat switch-off temp. 235°C 1-pole 0.5A probe ø 6mm probe L 130mm capillary pipe 1800mm capillary pipe isolated 1500mm gland nut M9x1 probe SS		
accessories for	390062		
	No.	551083	Ref. No. —
	cap for safety thermostat thread M8x1		

E-G-O







No.	375378	Ref. No.	60761
description	safety thermostat switch-off temp. 350°C 1-pole 16A probe ø 6mm probe L 74mm capillary pipe 900mm capillary pipe isolatedmm gland nut probe SS		
accessories for	375378		
	No.	102067	Ref. No. —
	nut thread M8x1 H 3mm brass Qty 1 pcs type SEF 1		

Table continues overleaf






accessories for 375378			
	No.	102500	Ref. No.
			—
nut thread M8x1 Qty 10 pcs			

55.31_series			
			
			
			
No.	375104	Ref. No.	5531542120
description	safety thermostat switch-off temp. 230°C 3-pole 20A probe ø 6mm probe L 167mm capillary pipe 830mm capillary pipe isolated 600mm gland nut M10x1 probe		

55.32_series			
			
			
			
No.	376090	Ref. No.	210044 62249
description	safety thermostat switch-off temp. 160°C 3-pole 20A probe ø 6mm probe L 87mm capillary pipe 1490mm capillary pipe isolated 580mm gland nut starting temperature 160°C probe		


			
			
			
No.	375375	Ref. No.	31230
description	safety thermostat switch-off temp. 230°C 3-pole 20A probe ø 6mm probe L 94mm capillary pipe 900mm capillary pipe isolated 670mm gland nut M10x1 probe SS		

			
			
			
No.	375393	Ref. No.	60776
description	safety thermostat switch-off temp. 235°C 3-pole 1CO/2NC 20A probe ø 6mm probe L 87mm capillary pipe 1790mm capillary pipe isolated 1710mm gland nut M9x1 probe SS		

			
			
			
No.	375228	Ref. No.	843737
description	safety thermostat switch-off temp. 350°C 3-pole 20A probe ø 3mm probe L 188mm capillary pipe 900mm capillary pipe isolated 900mm gland nut probe SS		

accessories



connecting bows

			
No.	550060	Ref. No.	60340
description	connecting bow long for thermostat Qty 1 pcs		

switches and momentary switches



rocker/momentary rocker switches


25.5x25mm


			
No.	347624 ¹	Ref. No.	00263
description	rocker switch mounting measurements 25x25mm green 2NO 250V 16A illuminated connection male faston 6.3mm ambient temperature max. 85°C protection IP40		
accessories for	347624		
	No.	301323	Ref. No.
			—
description	protective cover external size 35x35mm H 11mm transparent suitable for rocker switch mounting measurements 25.5x25mm L 35mm W 35mm		

¹illuminated




30x22mm			
			
1			
No.	301003	Ref. No.	01382 EL0006
description	rocker switch mounting measurements 30x22mm green 2NO 250V 16A illuminated 0-I connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65		
accessories for	301003		
	No.	301036	Ref. No. —
	 protective cover internal size 30x22mm for rocker switch mounting measurementsmm		

ø25mm			
			
1			
No.	347623	Ref. No.	32760
description	push switch mounting ø 25mm blue 2NO 250V 16A illuminated connection male faston 6.3mm ambient temperature max. 85°C protection IP40		


			
1			
No.	345161 ¹	Ref. No.	29583 30656
description	push switch mounting ø 25mm green 2NO 250V 16A illuminated connection male faston 6.3mm ambient temperature max. 85°C protection IP40		


push/momentary push switches


19x13mm			
			
1			
No.	347627	Ref. No.	61286 62240
description	momentary push switch mounting measurements 19x13mm black 2NO 250V 16A connection male faston 6.3mm ambient temperature max. 85°C protection IP65 with cover cap		


¹illuminated

cam switches

30x22mm			
			
1			
No.	301146	Ref. No.	27783
description	momentary push switch mounting measurements 30x22mm red 2NO 250V 16A illuminated connection male faston 6.3mm ambient temperature max. 125/55°C protection IP40		

7-position			
			
1			
No.	300025	Ref. No.	843751
description	cam switch 7 operating positions 1NO/2CO sequence 0-1-2-3-4-5-6 16A shaft ø 6x4.6mm shaft L 23mm connection screw 7-position ceramic		
accessories for	300025		
	No.	112172	Ref. No. —
	 knob universal ø 70mm black without adaptor/dial plate		
	No.	112213	Ref. No. —
	 knob dial plate silver switch 7-position t.max.°C ED ø 63mm ID ø 45.5mm		
	No.	112311	Ref. No. —
	 knob adapter shaft ø 6x4.6mm L 0mm with spring		


			
1			
No.	301082	Ref. No.	18686 18869
description	push switch mounting measurements 30x22mm green 2NO 250V 12A connection male faston 6.3mm ambient temperature max. 85/55°C protection IP54 with protective collar		

			
1			
No.	301083	Ref. No.	18687 18870
description	push switch mounting measurements 30x22mm orange 2NO 250V 12A connection male faston 6.3mm ambient temperature max. 85/55°C protection IP54 with protective collar		



4 operating positions



No.	300210	Ref. No.	60773
description	cam switch 4 operating positions 4NO sequence 0-1-2-3 16A shaft \varnothing 6x4.6mm shaft L 23mm connection screw ceramic		
accessories for	300210		
	No.	Ref. No.	
	551456	—	
gasket for switch ED \varnothing 14mm ID \varnothing 2.5mm thickness 3.5mm white			



No.	300200	Ref. No.	60898
description	operation switch 2 operating positions 2NO 16A sequence 0-1 shaft \varnothing 6x4.6mm shaft L 23mm connection male faston 6.3mm operation switch ceramic		

rotary switches

TECNOMATIC





No.	346102	Ref. No.	R_C8162-00-IN
description	rotary switch 6 2-1-0-3-4-5 sets of contacts 10 type HD12X303R000 600V 12A shaft \varnothing 6mm shaft L 22mm shaft round connection male faston 6.3mm		




No.	300364	Ref. No.	60897
description	cam switch 4 operating positions sequence 0-1-2-3 16A shaft \varnothing 6x4.6mm shaft L 23mm		

magnetic switches


65x20mm



No.	345116	Ref. No.	18762
description	magnetic switch L 65mm W 20mm 1NO 250V 0.4A P max. 100W connection cable cable length 3000mm		
accessories for	345116		
	No.	Ref. No.	
	345399	—	
magnet \varnothing 3.3mm L 40mm H 8mm W 13mm hole distance 30mm M3			


operation switches



No.	300080	Ref. No.	60777
description	cam switch 2 operating positions 4NO 16A sequence 0-1 shaft \varnothing 6x4.6mm shaft L 23mm connection screw operation switch ceramic ambient temperature max. 150°C		
accessories for	300080		
	No.	Ref. No.	
	551456	—	
gasket for switch ED \varnothing 14mm ID \varnothing 2.5mm thickness 3.5mm white			



encoders and potentiometers

			
1			
No.	402175	Ref. No.	26507
description	potentiometer 100KOhm shaft ø 6x4.6mm thread M10x0.75 cable length 800mm		


lamps


indicator lights

indicator lights 2-piece (lens and indicator lamp)


indicator light lenses



ø 6mm (type SQ-20)


			
1			
No.	359803	Ref. No.	18871
description	indicator light lens green Qty 1 pcs ø 6mm		

			
1			
No.	359805	Ref. No.	18872
description	indicator light lens red Qty 1 pcs ø 6mm		



ø10mm (type SRZ-3)


			
1			
No.	359228	Ref. No.	60144 EL0030
description	indicator light housings mounting measurements ø10mm clear round Qty 1 pcs		

			
1			
No.	359123	Ref. No.	60119 EL0028 R60119
description	indicator light housings mounting measurements ø10mm green round Qty 1 pcs		
accessories for	359123		
	No.	359132	Ref. No.
			—
			
	indicator lamp green 250V connection male faston 6.3mm protection IP54 ambient temperature max. 85°C		

			
1			
No.	359125	Ref. No.	60120 EL0027 R60120
description	indicator light housings mounting measurements ø10mm red round Qty 1 pcs		


indicator lamps for socket type SRZ / SDK / SDY / SFK

			
1			
No.	359430	Ref. No.	61307 EL0007 R61307
description	indicator lamp 230V clear connection cable 400mm		
accessories for	359430		
	No.	359260	Ref. No.
			—
			
	indicator light housings mounting measurements ø12mm yellow round Qty 1 pcs		

			
1			
No.	359431	Ref. No.	60145 R60145
description	indicator lamp 230V green connection cable 400mm cable material silicone		

indicator lights (complete)


26.5x25.6mm

			
1			
No.	357097	Ref. No.	00264
description	indicator light mounting measurements 27.8x25mm yellow 250V connection male faston 6.3mm		

fluorescent lamps

fluorescent lamps


G13


			
1			
No.	359386	Ref. No.	18659
description	fluorescent lamp socket G13 L 1198mm 36W 230V Qty 1 pcs		




accessories

ballasts


			
1			
No.	401440	Ref. No.	18664
description	electrical ballast 15W 230V for fluorescent lamps		

			
1			
No.	401505	Ref. No.	18665
description	electrical ballast 36W 230V Qty 1 pcs		

			
1			
No.	401448	Ref. No.	27665
description	electrical ballast 8W for fluorescent lamps		

timers


electric timers


			
1			
No.	362006	Ref. No.	537019301-LO
description	timer ITS operation time 120min 2NO at 250V 16A permanent position no shaft ϕ 6x4.6mm shaft L 24mm mounting distance 25mm mounting thread M4 connection 6.3x0.8 ambient temperature max. 125°C		

contactors

ALLEN BRADLEY


power contactors

			
1			
No.	380458	Ref. No.	60028
description	power contactor resistive load 20A 230VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NO connection screw connection type 100-K09KF10		

			
1			
No.	381121	Ref. No.	31280
description	power contactor resistive load 32A 230VAC (AC3/400V) 16A/7.5kW main contacts 3NO auxiliary contacts 1NO connection screw connection type 100-C16KF10		

OMRON


power contactors

			
1			
No.	381227	Ref. No.	63655 R_63655
description	power contactor resistive load 25A 240VAC (AC3/400V) 14A/5.5kW main contacts 3NO auxiliary contacts 1NO connection screw connection type J7KN-14D-10		

relays

power relays

with bracket mounting

			
1			
No.	380139	Ref. No.	26510
description	power relays FINDER 230VAC 16A 2CO connection F6.3 bracket mounting dimensions 68x38.2x35.8mm manuf. no. 62.82.8.230.0000		



electronic controllers

CAREL

refrigeration controllers

built-in version



1

No.	378283	Ref. No.	28320 31384 34986 R_34986
description	electronic controller CAREL PYIL1U05B9 mounting measurements 71x29mm built-in depth 74mm 230V voltage AC NTC relay outputs 3 NO-10A(10) CO-12A(2) NO-8A(4) NTC NTC DI yes protection IP54 -50 up to +90°C display 3 digits		
spare parts for	378283		
	No.	379160	Ref. No. 20286
	temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 1.5m without screw connection 2-wire		
	No.	379161	Ref. No. 29657
	temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 3m without screw connection 2-wire		
	No.	379343	Ref. No. —
	temperature probe NTC 10kOhm cable silicone probe -40 up to +110°C cable -50 up to +180°C probe ø6x40mm cable length 3m 2-wire		
	No.	379458	Ref. No. —
	temperature probe NTC 10kOhm cable silicone probe -40 up to +110°C cable -50 up to +180°C probe ø6x40mm cable length 1.5m without screw connection 2-wire		

probes

universal probes

temperature probes



No.	379160	Ref. No.	20286
description	temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 1.5m without screw connection 2-wire		



No.	379161	Ref. No.	29657
description	temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 3m without screw connection 2-wire		



No.	379142	Ref. No.	29799
description	temperature probe PTC 1kOhm cable PVC probe -50 up to +150°C cable -10 up to 100°C probe ø6x30mm cable length 1.5m without screw connection 2-wire		



No.	379053	Ref. No.	01074 01889 27474
description	temperature probe PTC 1kOhm cable PVC probe -50 up to +150°C cable -10 up to 100°C probe ø6x30mm cable length 3m without screw connection 2-wire		

core probes



No.	379549	Ref. No.	31155
description	core temperature probe PTC 1kOhm cable PVC probe -50 up to +150°C cable -10 up to 100°C probe ø6x110mm cable length 3.5m handle ø 8mm handle length 120x35mm 2-wire L1 120mm L2 130mm		


producer-specific probes

probes




No.	378289	Ref. No.	26508
description	temperature probe NTC 10kOhm cable PVC probe -40 up to +110°C cable -10 up to 100°C connection 2-wire thread probe ø5x20mm cable length 2m		

core probes




No.	379549	Ref. No.	31155
description	core temperature probe PTC 1kOhm cable PVC probe -50 up to +150°C cable -10 up to 100°C probe ø6x110mm cable length 3.5m handle ø 8mm handle length 120x35mm 2-wire L1 120mm L2 130mm		




No.	379547	Ref. No.	30600
description	core temperature probe PTC 1kOhm cable silicone probe -40 up to +120°C cable -50 up to +180°C connection 4-wire probe ø5x70mm thread cable length 1.2m handle ø 10mm handle length 120mm L1 150mm L2 80mm		




No.	378287	Ref. No.	27395
description	core temperature probe PTC 1kOhm cable silicone probe -40 up to +120°C cable -50 up to +180°C connection plug probe ø5x100mm cable length 0.7m L1 70mm L2 120mm		




No.	378288	Ref. No.	28623
description	core temperature probe PTC 1kOhm cable silicone probe -40 up to +120°C cable -50 up to +180°C connection plug probe ø5x100mm thread cable length 1.2m handle ø 8mm handle length 120/40mm		




No.	379548	Ref. No.	30599
description	core temperature probe PTC 1kOhm cable silicone probe -50 up to +150°C cable -50 up to +180°C connection 4-wire probe ø5x70mm thread cable length 1.2m handle ø 10mm handle length 120mm L1 150mm L2 80mm		




1	No.	379791	Ref. No.	31928
description	core temperature probe PTC cable silicone probe -40 up to +120°C cable -50 up to +180°C connection 2-wire probe ø4.5x70mm thread cable length 3m handle ø 16mm handle length 120mm L1 157mm L2 87mm			





1	No.	401779	Ref. No.	28203 R_28203
description	keypad PCB L 252mm W 112mm horizontal			
accessories for	401779			
	No.	401782	Ref. No.	28706
	keypad foil horizontal L 250mm W 110mm			

electronics


PCBs




1	No.	401780	Ref. No.	28707 31410
description	keypad PCB blast chiller L 160mm W 85mm suitable for ILSA vertical			
accessories for	401780			
	No.	401781	Ref. No.	27776
	keypad foil vertical L 138mm W 68mm			



1	No.	401873	Ref. No.	26478
description	PCB			



1	No.	401778	Ref. No.	28202 31412
description	power PCB			



1	No.	403885	Ref. No.	31411
description	keypad PCB L 252mm W 112mm			

keypads

front foils



1	No.	694386	Ref. No.	32957 R_37221
description	front foil frame black L 227mm W 60mm			



1	No.	401782	Ref. No.	28706
description keypad foil horizontal L 250mm W 110mm				



1	No.	401781	Ref. No.	27776
description keypad foil vertical L 138mm W 68mm				

solenoid valves

solenoid valves (water)

RPE



1	No.	370123	Ref. No.	34130
description solenoid valve single straight 230VAC inlet 1/2" outlet 1/2" DN10				

solenoid valves with reducers

single



1	No.	374042	Ref. No.	34129
description solenoid valve single straight 230VAC inlet 3/4" outlet 1/4" input 10-12l/min output 0.7-1l/min 10 RPE flow regulating valve outlet light green flow regulating valve inlet white				

solenoid valves (refrigeration)

CASTEL

valves



1	No.	370403	Ref. No.	18024
description solenoid valve NC CASTEL 230V p max 45bar connection 10mm soldering connection -35 up to +105°C refrigeration				

valve bodies

STANDARD series

suitable for refrigerants R22, R134a, R404A, R407C, R410A, R507





1	No.	370151	Ref. No.	00713
description solenoid valve body NC type 1028/2 S p max 45bar connection 1/4" soldering connection DN 2.2mm -35 up to +105°C L 125mm refrigeration straight CASTEL				
accessories for 370151				
	No.	371084	Ref. No.	—
solenoid coil CASTEL 230VAC 8VA 50/60Hz connection cable 1000mm type CM2				
	No.	371090	Ref. No.	—
power socket plug type DIN 43650A screw				
	No.	371301	Ref. No.	—
solenoid coil CASTEL 110VAC 8VA 50/60Hz seat ø 11.5mm connection DIN 43650A type HF2				
	No.	371314	Ref. No.	—
solenoid coil CASTEL 240VAC 8VA 50/60Hz seat ø 11.5mm				
	No.	371321	Ref. No.	—
solenoid coil CASTEL 12/24VAC 50/60Hz seat ø 11.5mm connection DIN 43650A type HF2				



spare parts and accessories



1

No.	371041	Ref. No.	32348
description	solenoid coil CASTEL 240VAC 8VA 50/60Hz seat ø 11.5mm connection DIN 43650A type HM2		
accessories for	371041		
	No.	371090	Ref. No.
	power socket plug type DIN 43650A screw		
	No.	371092	Ref. No.
	power socket plug type DIN large cable length 1000mm		

compressors

ACC/ZEL

R134A

HMBP monophase

High/Medium evaporation temperature above -20/-15 °C



1

No.	605007	Ref. No.	26056
description	compressor coolant R134a type GL60TB 220-240V 50Hz HMBP fully hermetic 9.5kg 1/5HP power input 437W cylinder capacity 5.7cm ³ CSIR H 175.5mm 95W 128W 170W 222W 284W 355W 437W 528W test method ASHRAE ambient temperature max. 43°C		

R404a/R507

LBP monophase

Lower evaporation temperature below -20°C



1

No.	605127	Ref. No.	32712
description	compressor coolant R404a/R507 type MX18FB 220-240V 50Hz LBP 17.3kg 5/8HP cylinder capacity 18.4cm ³ CSR H 230mm 575W 750W 985W 1219W 1498W test method ASHRAE ambient temperature max. 43°C		

HMBP monophase

High/Medium evaporation temperature above -20/-15 °C



1

No.	605014	Ref. No.	30014
description	compressor coolant R404a/R507 type ML80TB 220-240V 50Hz HMBP fully hermetic 11.4kg 3/8HP cylinder capacity 7.57cm ³ CSIR H 175.5mmW 261W 346W 446W 561W 691W 835W 993W 1167W test method ASHRAE ambient temperature max. 43°C		

CUBIGEL

R404a/R507

LBP monophase

Lower evaporation temperature below -20°C



1

No.	605180	Ref. No.	32714
description	compressor coolant R404a/R507 type MX23FB 220-240V 50Hz LBP 17.5kg 1HP power input 7/8W cylinder capacity 23.2cm ³ CSR H 221mm 749W 982W 1246W 1541W 1868W test method ASHRAE ambient temperature max. 43°C		



HMBP monophase

High/Medium evaporation temperature above -20/-15 °C

cubigel
compressors

1

No.	605013	Ref. No.	28931
description	compressor coolant R404a/R507 type ML60TB 220-240V 50Hz HMBP fully hermetic 10.1kg 1/4HP power input 647W cylinder capacity 5.68cm ³ CSIR H 175.5mmW 244W 319W 407W 511W 628W 760W 906W 1067W test method ASHRAE		

EMBRACO / ASPERA

R404a/R507

LBP monophase

Lower evaporation temperature below -20°C



1

No.	605078	Ref. No.	27403
description	compressor coolant R404a/R507 type NT2180GK 220-240V 50Hz LBP fully hermetic 17.3kg 1HP cylinder capacity 20.44cm ³ CSIR H 221mm 515W 598W 682W 769W 859W 956W test method ASHRAE		

fans

refrigeration fans


refrigeration motors universal

ebm-papst

multi fit fan motors





1

No.	601758	Ref. No.	28674	
description	fan motor 16W 230V 50/60Hz L1 43.5mm L3 87mm W 72mm cable length 1500mm 1300/1550rpm ebm-papst M4Q045-CF01-75 5 mounting options bearing slide bearing			
spare parts for	601758			
	No.	601413	Ref. No.	—
	fixing plate suitable for fanwheel ED ø 32mm shaft ø 7 mounting distance 26mm			


cold air circulating fans (complete)

ebm-papst

A2E series





1

No.	601750	Ref. No.	27574 31316	
description	fan A2E250-AL06-09 fan wheel ø 250mm blades 7 230V 50/60Hz 120/160W 2500rpm cable length 200mm ebm-papst sucking suitable capacitor 3µF			
accessories for	601750			
	No.	365137	Ref. No.	—
	capacitor capacity 3µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 25mm L 56mm M8 plastic connection cable 250mm 416.17.77GF protection			




A4E series



No.	601623	Ref. No.	30221 30311 31311
description	fan A4E315-AC08-19 fan wheel ø 315mm blades 5 230V 50Hz 95W 1370rpm cable length 450mm ebm-papst sucking suitable capacitor 3µF		
accessories for	601623		
	No.	365137	Ref. No. —
	capacitor capacity 3µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 25mm L 56mm M8 plastic connection cable 250mm 416.17.77GF protection		


R2E series




No.	601617	Ref. No.	00543 30631
description	fan R2E190-A026-66 fan wheel ø 190mm blades 6 230V 50Hz 58W ø 190mm H 70mm hole ø 8mm 2500rpm cable length 450mm rotation direction right ebm-papst sucking suitable capacitor 2µF		

hot air fans

miscellaneous



No.	601125	Ref. No.	00755
description	hot air fan 220-240V 45W 50/60Hz L1 70mm L2 11mm L3 25mm L4 87mm fan wheel ø 150mm FIME type C30R0479CLF		
accessories for	601125		
	No.	550879	Ref. No. —
	insulation ø 130mm thickness 3mm hole ø 20mm for hot air fan		

gas taps

PEL

21S series






No.	101397	Ref. No.	401101
description	gas tap PEL type 21S gas inlet M16x1.5 (tube ø 10mm) bypass nozzle ø 0.35mm gas outlet M16x1.5 (tube ø 10/8mm) thermocouple connection M9x1 pilot connection M10x1 shaft ø 8x6.5mm shaft L 22/15mm shaft flat lower		
spare parts for	101397		
	No.	100408	Ref. No. —
	bypass nozzle type PEL20/21 bore ø 0.35mm thread M5x0.5		
	No.	101060	Ref. No. —
	magnet unit standard L 39mm D1 ø 15.4mm D2 ø 11mm suitable for PEL20-21/JUNKERS/EGA		
	No.	101206	Ref. No. —
	gas tap front part shaft ø 8x6.5mm shaft L 22/15mm shaft flat upper/lower suitable for PEL21		

Table continues overleaf





spare parts for	101397			
	No.	101231	Ref. No.	—
thermocouple nut T1: M9x1 T2: M18x1				
accessories for	101397			
	No.	100908	Ref. No.	—
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs				
	No.	100909	Ref. No.	ID0103
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs				
	No.	101246	Ref. No.	—
olive for pipe ø 4mm Qty 1 pcs				
	No.	101278	Ref. No.	—
olive for pipe ø 10mm Qty 1 pcs				
	No.	101286	Ref. No.	—
olive ID ø 6mm Qty 1 pcs				
	No.	101300	Ref. No.	—
union nut thread M16x1.5 tube ø 10mm				
	No.	101450	Ref. No.	—
olive for pipe ø 8mm L 12.7mm Qty 1 pcs ED ø 10mm				
	No.	101451	Ref. No.	—
union nut thread M16x1.5 tube ø 8mm				
	No.	110081	Ref. No.	—
knob ø 70mm shaft ø 8x6.5mm shaft flat universal				
	No.	112206	Ref. No.	—
knob dial plate silver gas tap PEL21/22/23 t.max.°C ED ø 63mm ID ø 45.5mm				





gas thermostats


SIT





630 Eurosit series



No.	101188	Ref. No.	60142 R_60142	
description	gas thermostat type 630 Eurosit series t.max. 190°C 110-190°C gas inlet 3/8" gas outlet 3/8" thermocouple connection M9x1 pilot connection M10x1 probe ø 4mm probe L 202mm capillary pipe 1050mm SIT			
accessories for	101188			
	No.	100904	Ref. No.	—
locking screw M10x1 for pipe ø 4mm Qty 1 pcs				

accessories for	101188			
	No.	100905	Ref. No.	ID0097
locking screw M10x1 for pipe ø 6mm Qty 1 pcs				
	No.	101273	Ref. No.	—
olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal				
	No.	101276	Ref. No.	—
union screw thread 3/8" tube ø 12mm Qty 1 pcs				
	No.	101333	Ref. No.	61066
plug thread 3/8" with O-ring				



No.	101992	Ref. No.	821161	
description	gas thermostat type 630 Eurosit series t.max. 190°C 110-190°C gas inlet 3/8" gas outlet 3/8" thermocouple connection M9x1 pilot connection M10x1 probe ø 4mm probe L 202mm capillary pipe 1050mm SIT			
accessories for	101992			
	No.	100904	Ref. No.	—
locking screw M10x1 for pipe ø 4mm Qty 1 pcs				
	No.	100905	Ref. No.	ID0097
locking screw M10x1 for pipe ø 6mm Qty 1 pcs				
	No.	101273	Ref. No.	—
olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal				
	No.	101276	Ref. No.	—
union screw thread 3/8" tube ø 12mm Qty 1 pcs				
	No.	101333	Ref. No.	61066
plug thread 3/8" with O-ring				
	No.	510655	Ref. No.	—
gasket silicone ø 7.8mm L 5mm blue Shore 55° Qty 10 pcs				



















No.	101696	Ref. No.	60249	
description	gas thermostat type 630 Eurosit series t.max. 300°C 60-300°C gas inlet 3/8" gas outlet 3/8" thermocouple connection M9x1 pilot connection M10x1 probe ø 4mm probe L 72mm capillary pipe 1050mm SIT			
spare parts for	101696			
	No.	101333	Ref. No.	61066
plug thread 3/8" with O-ring				

Table continues overleaf



accessories for	101696			
	No.	100904	Ref. No.	—
locking screw M10x1 for pipe ø 4mm Qty 1 pcs				
	No.	100905	Ref. No.	ID0097
locking screw M10x1 for pipe ø 6mm Qty 1 pcs				
	No.	101273	Ref. No.	—
olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal				
	No.	101276	Ref. No.	—
union screw thread 3/8" tube ø 12mm Qty 1 pcs				





No.	101915	Ref. No.	64357	
description	gas thermostat type 630 Eurosit series t.max. 320°C 80-320°C gas inlet 3/8" gas outlet 3/8" thermocouple connection M9x1 pilot connection M10x1 probe ø 4mm probe L 72mm capillary pipe 1050mm SIT			
accessories for	101915			
	No.	100825	Ref. No.	—
gas tap spindle shaft ø 8x6.5mm shaft L 22/14mm suitable for EUROSIT				
	No.	100904	Ref. No.	—
locking screw M10x1 for pipe ø 4mm Qty 1 pcs				
	No.	100905	Ref. No.	ID0097
locking screw M10x1 for pipe ø 6mm Qty 1 pcs				
	No.	100949	Ref. No.	—
gasket suitable for 630 Eurosit series				
	No.	101273	Ref. No.	—
olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal				
	No.	101276	Ref. No.	—
union screw thread 3/8" tube ø 12mm Qty 1 pcs				
	No.	101333	Ref. No.	61066
plug thread 3/8" with O-ring				
	No.	101390	Ref. No.	—
gas tap spindle shaft ø 6x4.6mm shaft L 32/15mm gas tap with ignition flame suitable for ZANUSSI, MARENO for gas thermostat EUROSIT				
	No.	101392	Ref. No.	—
adapter suitable for 630 Eurosit series				
	No.	110357	Ref. No.	—
gas tap spindle shaft ø 8x6.5mm shaft L 36/12mm suitable for 630 Eurosit series				
	No.	110358	Ref. No.	—
adapter shaft ø 10x8mm shaft L 29/18mm suitable for 630 Eurosit series				

PEL

24ST series



No.	101076	Ref. No.	401201	
description	gas thermostat PEL type 24ST 120-320°C gas inlet M20x1.5 (tube ø 12mm) bypass nozzle ø 0.35mm gas outlet M20x1.5 (tube ø 12/10mm) thermocouple connection M9x1 pilot connection M10x1 capillary pipe 1200mm probe ø 6mm probe L 100mm shaft ø 10x8mm shaft L 27/17mm shaft flat upper			
spare parts for	101076			
	No.	100455	Ref. No.	—
bypass nozzle type PEL23/24 bore ø 0.35mm thread M8x0.5				
	No.	101058	Ref. No.	—
magnet unit L 39mm D1 ø 15.4mm D2 ø 13.5mm suitable for PEL22/EGA24197 standard				
	No.	106200	Ref. No.	—
nut thread M9x1 suitable for PEL 24/25S				
accessories for	101076			
	No.	100908	Ref. No.	—
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs				
	No.	100909	Ref. No.	ID0103
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs				
	No.	101246	Ref. No.	—
olive for pipe ø 4mm Qty 1 pcs				
	No.	101248	Ref. No.	—
olive for pipe ø 12mm Qty 1 pcs suitable for PEL				
	No.	101249	Ref. No.	—
olive for pipe ø 10mm Qty 1 pcs				
	No.	101250	Ref. No.	—
union nut thread M20x1.5 for pipe ø 10mm				
	No.	101251	Ref. No.	—
union nut thread M20x1.5 for pipe ø 12mm				
	No.	101286	Ref. No.	—
olive ID ø 6mm Qty 1 pcs				
	No.	110079	Ref. No.	—
knob dial plate gas thermostat 1-8 silver				
	No.	110080	Ref. No.	—
knob ø 70mm shaft ø 10x8mm shaft flat universal				

gas valves and ignition boxes












gas control valves

SIT

NOVASIT



1

No.	101956	Ref. No.	60309 921161
description	gas valve SIT series Novasit 820 230V 50Hz gas inlet 1/2" gas outlet 1/2" thermocouple connection M9x1 pilot connection M10x1 ignition pressure range 5-50mbar pressure regulator connection blind equiv. no. 0.820.031		
spare parts for	101956		
	No.	101065	Ref. No. —
magnet unit with cable L 44mm D1 ø 30mm D2 ø 20mm suitable for NOVASIT			
	No.	101313	Ref. No. —
solenoid coil 230V 50Hz			
accessories for	101956		
	No.	100006	Ref. No. —
piezoelectric igniter suitable for ELETTROSIT body plastic blowing connection ø2.4mm ø 14mm			
	No.	101305	Ref. No. —
gas connection straight 1/2" flange 45x45mm ELETTROSIT/V4400/4600/4605 suitable for SIT/HONEYWELL hole distance 36x36mm			
	No.	101306	Ref. No. —
gas connection angled flange 45x45mm hole distance 36x36mm 1/2" ELETTROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL			
	No.	101307	Ref. No. —
gas connection straight flange 45x45mm hole distance 36x36mm 3/4" ELETTROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL			
	No.	101308	Ref. No. —
gas connection angled flange 45x45mm hole distance 36x36mm 3/4" ELETTROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL			
	No.	101312	Ref. No. —
microswitch			
	No.	101314	Ref. No. —
solenoid coil 24V 50Hz			
	No.	101317	Ref. No. —
plug with cable L 1000mm suitable for NOVASIT			
	No.	101318	Ref. No. —
cover cap for solenoid coil suitable for NOVASIT			

accessories



1

No.	100905	Ref. No.	ID0097
description	locking screw M10x1 for pipe ø 6mm Qty 1 pcs		

ignition parts







pilot burners

SIT

100 series




1

No.	107140	Ref. No.	61603
description	pilot burner SIT type 100 series 3 flames nozzle ø 20mm gas connectionmm		
spare parts for	107140		
	No.	100855	Ref. No. —
pilot burner bracket triple			
	No.	100885	Ref. No. —
air mixing sleeve for pilot burner Qty 1 pcs			
	No.	100916	Ref. No. —
compression spring for pilot burner Qty 1 pcs			
	No.	107162	Ref. No. —
pilot burner cap SIT 3 flames Hmm Lmm Qty 1 pcs			
accessories for	107140		
	No.	100904	Ref. No. —
locking screw M10x1 for pipe ø 4mm Qty 1 pcs			
	No.	100905	Ref. No. ID0097
locking screw M10x1 for pipe ø 6mm Qty 1 pcs			



accessories

ignition electrodes




No.	100706	Ref. No.	61602
description	ignition electrode connection M4 Qty 1 pcs		

140 - 145 - 150 series



No.	107134	Ref. No.	60354
description	pilot burner SIT type 140 series 1 flame nozzle \emptyset mm gas connectionmm		
accessories for	107134		
	No.	100204	Ref. No. —
pilot burner nozzle SIT LPG code 14 bore \emptyset 0.18/0.20mm Qty 1 pcs suitable for 140 series			
	No.	100205	Ref. No. —
pilot burner nozzle SIT LPG code 19 bore \emptyset 0.23/0.26mm Qty 1 pcs suitable for SIT 150 series			
	No.	100206	Ref. No. 111006 61070
pilot burner nozzle SIT natural gas code 36 bore \emptyset 0.60/0.55mm Qty 1 pcs suitable for SIT 150 series			
	No.	100207	Ref. No. 111008 61243
pilot burner nozzle SIT natural gas code 27 bore \emptyset 0.40/0.38mm suitable for SIT 140 series			
	No.	100216	Ref. No. —
pilot burner nozzle SIT natural gas code 38 bore \emptyset 0.45mm Qty 1 pcs suitable for SIT 150 series			
	No.	100701	Ref. No. 61067
ignition electrode connection M4 Qty 1 pcs			
	No.	100897	Ref. No. —
olive for pipe \emptyset 4mm Qty 1 pcs for pilot burner			
	No.	100898	Ref. No. 111007
olive for pipe \emptyset 6mm Qty 1 pcs for pilot burner			
	No.	100906	Ref. No. 110163
screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10			
	No.	100907	Ref. No. —
screw connection thread M10x1 Qty 1 pcs type SEF 1 \emptyset mm for thermocouple			
	No.	100908	Ref. No. —
union screw thread M10x1 for pipe \emptyset 4mm Qty 1 pcs			

accessories for	107134		
	No.	100909	Ref. No. ID0103
union screw thread M10x1 for pipe \emptyset 6mm Qty 1 pcs			

















No.	107132	Ref. No.	111003
description	pilot burner SIT type 140 series 2 flames nozzle \emptyset mm gas connectionmm		

accessories for	107132		
	No.	100204	Ref. No. —
pilot burner nozzle SIT LPG code 14 bore \emptyset 0.18/0.20mm Qty 1 pcs suitable for 140 series			
	No.	100205	Ref. No. —
pilot burner nozzle SIT LPG code 19 bore \emptyset 0.23/0.26mm Qty 1 pcs suitable for SIT 150 series			
	No.	100206	Ref. No. 111006 61070
pilot burner nozzle SIT natural gas code 36 bore \emptyset 0.60/0.55mm Qty 1 pcs suitable for SIT 150 series			
	No.	100207	Ref. No. 111008 61243
pilot burner nozzle SIT natural gas code 27 bore \emptyset 0.40/0.38mm suitable for SIT 140 series			
	No.	100216	Ref. No. —
pilot burner nozzle SIT natural gas code 38 bore \emptyset 0.45mm Qty 1 pcs suitable for SIT 150 series			
	No.	100701	Ref. No. 61067
ignition electrode connection M4 Qty 1 pcs			
	No.	100897	Ref. No. —
olive for pipe \emptyset 4mm Qty 1 pcs for pilot burner			
	No.	100898	Ref. No. 111007
olive for pipe \emptyset 6mm Qty 1 pcs for pilot burner			
	No.	100906	Ref. No. 110163
screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10			
	No.	100907	Ref. No. —
screw connection thread M10x1 Qty 1 pcs type SEF 1 \emptyset mm for thermocouple			
	No.	100908	Ref. No. —
union screw thread M10x1 for pipe \emptyset 4mm Qty 1 pcs			
	No.	100909	Ref. No. ID0103
union screw thread M10x1 for pipe \emptyset 6mm Qty 1 pcs			
	No.	102110	Ref. No. —
pilot tube copper pipe \emptyset 4mm thickness 1mm L 3000mm			
	No.	102111	Ref. No. —
pilot tube copper pipe \emptyset 6mm thickness 1mm L 3000mm			




160 series




No.	100056	Ref. No.	110159
description	pilot burner SIT type 160 series 3 flames nozzle ømm gas connectionmm		
spare parts for	100056		
	No.	100907	Ref. No. —
	screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple		
accessories for	100056		
	No.	100202	Ref. No. —
	pilot burner nozzle natural gas code 41 Qty 1 pcs nozzle ø 0.41mm		
	No.	100203	Ref. No. —
	pilot burner nozzle LPG code 25 Qty 1 pcs nozzle ø 0.25mm		
	No.	100701	Ref. No. 61067
	ignition electrode connection M4 Qty 1 pcs		
	No.	100801	Ref. No. —
	gasket for pilot burner Qty 1 pcs		
	No.	100869	Ref. No. —
	pilot burner nozzle natural gas code 51 Qty 1 pcs suitable for 160 series nozzle ø 0.51mm		
	No.	100870	Ref. No. —
	olive for pipe ø 4mm Qty 1 pcs suitable for 160 series for pilot burner		
	No.	100906	Ref. No. 110163
	screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10		
	No.	100908	Ref. No. —
	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs		
	No.	100909	Ref. No. ID0103
	union screw thread M10x1 for pipe ø 6mm Qty 1 pcs		
	No.	101287	Ref. No. —
	olive for pipe ø 6mm Qty 1 pcs		
	No.	102110	Ref. No. —
	pilot tube copper pipe ø 4mm thickness 1mm L 3000mm		
	No.	102111	Ref. No. —
	pilot tube copper pipe ø 6mm thickness 1mm L 3000mm		
	No.	107650	Ref. No. —
	pilot burner nozzle SIT LPG code 30 Qty 1 pcs		

electrodes




No.	100701	Ref. No.	61067
description	ignition electrode connection M4 Qty 1 pcs		
accessories for	100701		
	No.	100906	Ref. No. 110163
	screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10		




No.	100706	Ref. No.	61602
description	ignition electrode connection M4 Qty 1 pcs		




No.	100871	Ref. No.	61068
description	ignition electrode D1 ø 7mm connection M4 to clip		



No.	102314	Ref. No.	6010061-GI
description	ignition electrode D1 ø 7mm D2 ø 9mm connection M4 L1 2mm BL1 28mm BL2 3mm BL3 23mm to clip		

No.	102330	Ref. No.	110262
description	ignition electrode D1 ø 7mm D2 ø 9mm L1 16mm BL1 18mm BL2 3mm BL3 23mm to clip connection ø 2.4mm		



No.	100906	Ref. No.	110163
description	screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10		

piezoelectric igniters

mounting diameter 18mm



No.	100009	Ref. No.	60829	
description	piezoelectric igniter body plastic blowing mounting ø 18mm connection ø 2.4mm front measurements 26mm M18x1.5			
accessories for	100009			
	No.	101339	Ref. No.	—
	cover cap for piezoelectric igniter			
	No.	106869	Ref. No.	—
	cover cap for piezoelectric igniter ID ø 22mm ED ø 35mm H 25mm			
	No.	107931	Ref. No.	—
	cover cap for piezoelectric igniter ID ø 21mm ED ø 36mm			


thermocouples

plug-in thermocouples


plug-in thermocouples standard

with barrel socket ø6(6.5)mm


thermocouples SIT




No.	107614	Ref. No.	61061
description	thermocouple SIT M9x1 L 1500mm plug connection ø6.0(6.5)mm		



No.	107606	Ref. No.	837233
description	thermocouple SIT M9x1 L 320mm plug connection ø6.0(6.5)mm		




No.	107610	Ref. No.	61060
description	thermocouple SIT M9x1 L 750mm plug connection ø6.0(6.5)mm		



No.	107611	Ref. No.	6010057-GI
description	thermocouple SIT M9x1 L 850mm plug connection ø6.0(6.5)mm		

plug-in thermocouples with aluminised tip



No.	102681	Ref. No.	R_61074
description	thermocouple fast closing M9x1 L 850mm plug connection ø6.5mm		

accessories

screws




No.	102464	Ref. No.	110176
description	thermocouple fitting thread M10x1 brass Qty 1 pcs		

gas burners

hob burners

accessories

reducers for pan supports



No.	210050	Ref. No.	61320
description	reducer for pan support L 260mm W 260mm chrome-plated steel suitable for universal		

spillage trays



No.	105465	Ref. No.	440081
description	drain tray L 380mm W 350mm for burner cap ø 110mm		



No.	105466	Ref. No.	440083
description	drain tray L 380mm W 350mm for burner cap ø 130mm		

gas nozzles

pilot burner nozzles

pilot burner nozzles SIT

140/150 series



No.	100207	Ref. No.	111008 61243
description	pilot burner nozzle SIT natural gas code 27 bore ø 0.40/0.38mm suitable for SIT 140 series		



No.	100206	Ref. No.	111006 61070
description	pilot burner nozzle SIT natural gas code 36 bore ø 0.60/0.55mm Qty 1 pcs suitable for SIT 150 series		

auxiliary gas parts

screw connections

olives




No.	100898	Ref. No.	111007
description	olive for pipe ø 6mm Qty 1 pcs for pilot burner		


accessories for 100898






No.	100909	Ref. No.	ID0103
description	union screw thread M10x1 for pipe ø 6mm Qty 1 pcs		



union screws

			
1			
No.	100905	Ref. No.	ID0097
description	locking screw M10x1 for pipe ø6mm Qty 1 pcs		

			
1			
No.	100906	Ref. No.	110163
description	screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10		


			
1			
No.	100909	Ref. No.	ID0103
description	union screw thread M10x1 for pipe ø6mm Qty 1 pcs		
accessories for	100909		
	No.	100898	Ref. No. 111007
olive for pipe ø6mm Qty 1 pcs for pilot burner			
	No.	101286	Ref. No. —
olive ID ø6mm Qty 1 pcs			
	No.	101287	Ref. No. —
olive for pipe ø6mm Qty 1 pcs			
	No.	101288	Ref. No. —
olive for pipe ø6mm L6mm aluminium Qty 1 pcs ED ø8.5mm			

equipment-specific units

for fridges

housing and bezels


miscellaneous


			
1			
No.	694387	Ref. No.	32810
description	frame L 179mm W 44mm H 6.5mm		

knobs

producer-specific knobs

ILSA

			
1			
No.	112508	Ref. No.	18633
description	knob switch zero mark ø19mm shaft ø6x4.6mm black		

			
1			
No.	112666	Ref. No.	01434 31051
description	knob thermostat 30-90°C ø48.5mm shaft ø6x4.6mm shaft flat upper black		

handles and hand wheels

cone handles

			
1			
No.	691395	Ref. No.	62510
description	cone handle thread M8 ø24mm L59mm black		

locks


edgmount latches

handle latches

producer-specific

INOXTREND



1	No.	690536	Ref. No.	R_C8118-00-IN
	description	catch L 172mm mounting distance 133mm non lockable chrome-plated 6200 total length 248mm		
	accessories for	690536		
		No.	690123	Ref. No. —
		door catch with roller		


hinges

spring assisted hinges


producer-specific

ILSA



1	No.	691964	Ref. No.	14842 30876
	description	spring assisted hinge L 170mm mounting pos. bottom left/upper right		
	spare parts for	691964		
		No.	692081	Ref. No. 00782
		torsion spring ø 16mm total length 123mm wire gauge ø 2mm L1 100mm mounting pos. left		



1	No.	692071	Ref. No.	14841 30875
	description	spring assisted hinge L 170mm mounting pos. bottom right/upper left		
	spare parts for	692071		
		No.	692082	Ref. No. 00781
		torsion spring ø 16mm total length 123mm wire gauge ø 2mm L1 100mm		

door bearing



1	No.	694384	Ref. No.	32080
	description	hinge L 110mm W 66mm H 23mm mounting pos. bottom left with bolt		



1	No.	694385	Ref. No.	32888 R32888
	description	hinge L 110mm W 66mm H 24mm mounting pos. upper left with bolt		



1	No.	692078	Ref. No.	26403
	description	hinge mounting pos. bottom left		



1	No.	692076	Ref. No.	26402
	description	hinge mounting pos. bottom right		





1	No.	692577	Ref. No.	27348
	description	hinge camp L 110mm W 66mm mounting pos. left bottom thickness 3mm		





1	No.	692576	Ref. No.	19456 29132
	description	hinge camp L 110mm W 66mm mounting pos. right bottom thickness 3mm kit		





			
1			
No.	692072	Ref. No.	31282
description	hinge camp mounting pos. centre/right		

			
1			
No.	691965	Ref. No.	30874
description	hinge camp mounting pos. lower		

			
1			
No.	692074	Ref. No.	26401
description	hinge camp mounting pos. upper left		

			
1			
No.	692085	Ref. No.	30379
description	hinge camp mounting pos. upper left		

			
1			
No.	692073	Ref. No.	26400
description	hinge camp mounting pos. upper right		


			
1			
No.	692075	Ref. No.	30344
description	hinge camp mounting pos. upper right		




shelves and shelf rails

grates





universal






without upstand



1			
No.	970122	Ref. No.	GRI0012
description	grate W 325mm D 530mm GN 1/1 H 8mm stainless steel wire gauge frame 7mm lengthwise wires gauge 4mm crossing wires 1		
accessories for	970122		
	No.	690330	Ref. No. —
	rack L 1000mm W 22mm H 4mm aperture 3x8mm hole distance 12.5mm stainless steel		
	No.	694700	Ref. No. —
	shelf support L 31/28mm W 22mm H 18mm SS Qty 12 pcs		
	No.	694701	Ref. No. —
	shelf support L 31/28mm W 22mm H 17mm SS with hook Qty 12 pcs		


with upstand


			
1			
No.	970527	Ref. No.	20370
description	grate W 530mm D 650mm GN 2/1 chrome-plated steel with hinge camp crossing wires 2 suitable for refrigerator		
accessories for	970527		
	No.	690330	Ref. No. —
	rack L 1000mm W 22mm H 4mm aperture 3x8mm hole distance 12.5mm stainless steel		
	No.	694700	Ref. No. —
	shelf support L 31/28mm W 22mm H 18mm SS Qty 12 pcs		
	No.	694701	Ref. No. —
	shelf support L 31/28mm W 22mm H 17mm SS with hook Qty 12 pcs		

1 			
No.	970556	Ref. No.	GRI0011
description	grate W 530mm D 650mm GN 2/1 plastic-coated steel with hinge camp wire gauge frame 9mm lengthwise wires gauge 5mm crossing wires 2 white suitable for refrigerator		
accessories for	970556		
	No.	690330	Ref. No. —
	rack L 1000mm W 22mm H 4mm aperture 3x8mm hole distance 12.5mm stainless steel		
	No.	690332	Ref. No. —
	shelf support L 31/28mm W 22mm H 17mm SS with hook Qty 1 pcs		
	No.	694700	Ref. No. —
	shelf support L 31/28mm W 22mm H 18mm SS Qty 12 pcs		
	No.	694701	Ref. No. —
	shelf support L 31/28mm W 22mm H 17mm SS with hook Qty 12 pcs		

shelf rails and supports

producer-specific

1 			
No.	692084	Ref. No.	26412
description	guide U-shape L 660mm W 27mm inner height 25mm mounting pos. left		


1 			
No.	692083	Ref. No.	26413
description	guide U-shape L 660mm W 27mm inner height 25mm mounting pos. right		

gaskets

refrigeration gaskets


plug-in gaskets


profile 9792


1 			
No.	902439	Ref. No.	36475
description	refrigeration gasket profile 9792 W 172mm L 387mm plug size		

profile 9048

We offer custom-made gaskets for this profile

1 			
No.	900925	Ref. No.	19827
description	refrigeration gasket profile 9048 W 170mm L 385mm plug size		

1 			
No.	900924	Ref. No.	19102 36473
description	refrigeration gasket profile 9048 W 210mm L 385mm plug size		

1 			
No.	901047	Ref. No.	19100
description	refrigeration gasket profile 9048 W 282mm L 390mm plug size		

No.	901477	Ref. No.	34574
description	refrigeration gasket profile 9048 W 365mm L 705mm plug size		

No.	901046	Ref. No.	19259
description	refrigeration gasket profile 9048 W 386mm L 389mm plug size		

No.	901463	Ref. No.	00779
description	refrigeration gasket profile 9048 W 375mm L 175mm plug size		

No.	900926	Ref. No.	19099
description	refrigeration gasket profile 9048 W 388mm L 610mm plug size		

No.	901464	Ref. No.	00778
description	refrigeration gasket profile 9048 W 375mm L 275mm plug size		

No.	901048	Ref. No.	30485
description	refrigeration gasket profile 9048 W 400mm L 500mm plug size		

No.	901465	Ref. No.	00780
description	refrigeration gasket profile 9048 W 375mm L 390mm plug size		

No.	901222	Ref. No.	29715
description	refrigeration gasket profile 9048 W 415mm L 709mm plug size for blast chiller		

No.	900929	Ref. No.	00777
description	refrigeration gasket profile 9048 W 375mm L 610mm plug size		

No.	900928	Ref. No.	00776
description	refrigeration gasket profile 9048 W 456mm L 621mm plug size		

No.	901045	Ref. No.	19098
description	refrigeration gasket profile 9048 W 465mm L 615mm plug size		

No.	901221	Ref. No.	27375
description	refrigeration gasket profile 9048 W 612mm L 725mm plug size for blast chiller		

No.	901044	Ref. No.	18567
description	refrigeration gasket profile 9048 W 640mm L 725mm plug size		

No.	900927	Ref. No.	18565
description	refrigeration gasket profile 9048 W 645mm L 1535mm plug size		

No.	901219	Ref. No.	27573
description	refrigeration gasket profile 9048 W 721mm L 1154mm plug size blast chiller		

No.	901220	Ref. No.	27572
description	refrigeration gasket profile 9048 W 721mm L 929mm plug size for blast chiller		

profile 9773

We offer custom-made gaskets for this profile

No.	902443	Ref. No.	R_34516
description	refrigeration gasket profile 9773 W 640mm L 1475mm plug size		

No.	901472	Ref. No.	33993 34517
description	refrigeration gasket profile 9773 W 655mm L 700mm external size W1 642mm L1 687mm plug size		

No.	901136	Ref. No.	33992 34516
description	refrigeration gasket profile 9773 W 658mm L 1498mm external size W1 645mm L1 1485mm plug size		

No.	901471	Ref. No.	33842
description	refrigeration gasket profile 9773 W 675mm L 1490mm external size W1 662mm L1 1477mm plug size		

No.	901039	Ref. No.	30799 33696
description	refrigeration gasket profile 9773 W 658mm L 723mm external size W1 645mm L1 710mm plug size		


No.	901040	Ref. No.	31262 33697 R_33697
description	refrigeration gasket profile 9773 W 698mm L 1538mm external size W1 685mm L1 1525mm plug size		

No.	901038	Ref. No.	30313 30798 33695
description	refrigeration gasket profile 9773 W 659mm L 1539mm external size W1 646mm L1 1526mm plug size		

No.	901041	Ref. No.	33698
description	refrigeration gasket profile 9773 W 699mm L 724mm external size W1 686mm L1 711mm plug size		


No.	901042	Ref. No.	31262
description	refrigeration gasket profile 9773 W 669mm L 1539mm external size W1 656mm L1 1526mm plug size		

No.	901155	Ref. No.	33994 34518 R_34518
description	refrigeration gasket profile 9773 W 700mm L 1505mm external size W1 687mm L1 1492mm plug size		




No.	902305	Ref. No.	N/A
description	refrigeration gasket profile 9773 Wmm L 2500mm		

profile 9753
We offer custom-made gaskets for this profile




No.	901466	Ref. No.	00103
description	refrigeration gasket profile 9753 W 405mm L 640mm plug size		




No.	901467	Ref. No.	00104
description	refrigeration gasket profile 9753 W 475mm L 635mm plug size		

profile 9010
We offer custom-made gaskets for this profile




No.	901468	Ref. No.	34520
description	refrigeration gasket profile 9010 W 675mm L 1520mm plug size		




No.	901469	Ref. No.	31443
description	refrigeration gasket profile 9010 W 675mm L 1555mm plug size		

profile 9794


We offer custom-made gaskets for this profile




No.	901870	Ref. No.	R_36474
description	refrigeration gasket profile 9794 W 274mm L 385mm plug size refrigerated counter		



No.	901364	Ref. No.	36472 R_36472
description	refrigeration gasket profile 9794 W 390mm L 615mm plug size		



No.	901183	Ref. No.	36471 R_36471
description	refrigeration gasket profile 9794 W 461mm L 613mm plug size		



No.	902144	Ref. No.	R_35840
description	refrigeration gasket profile 9794 W 665mm L 1505mm plug size L1 1485mm W1 645mm external size suitable for ILSA		



No.	902308	Ref. No.	N/A
description	refrigeration gasket profile 9794 Wmm L 2500mm		

profile 9195

We offer custom-made gaskets for this profile

No.	901470	Ref. No.	34285
description	refrigeration gasket profile 9195 W 760mm L 1900mm plug size		

gaskets for heated units

door seals with fixing hook

No.	692546 ¹	Ref. No.	60045 R_60045
description	door seal L 255mm W 630mm 3-sided long side open with 6 mounting clips		

¹3-sided, long side open

O-rings

EPDM

No.	540682	Ref. No.	18595
description	O-ring EPDM thickness 1.78mm ID ø 18.77mm Qty 1 pcs		

No.	510072	Ref. No.	ID0087
description	O-ring EPDM thickness 3.53mm ID ø 32.93mm Qty 1 pcs		

No.	532545	Ref. No.	ID0088
description	O-ring Viton thickness 3.53mm ID ø 49.21mm Qty 1 pcs		

evaporators


for fridges

producer-specific

No.	750455	Ref. No.	30321 R_30321
description	evaporator L 140mm W 330mm H 170mm D 170mm refrigerator suitable for ILSA		


No.	750454	Ref. No.	R_34010
description	evaporator L 260mm W 340mm H 140mm Dmm refrigerator suitable for ILSA		

No.	750450	Ref. No.	19619
description	evaporator L 490mm H 70mm W 395mm for refrigerated counters suitable for ILSA		

			
1			
No.	750449	Ref. No.	31455 R_19302
description	evaporator L 490mm W 295mm H 70mm refrigerated counter suitable for ILSA		


evaporation and condensing trays

unheated condensing trays

			
1			
No.	750453	Ref. No.	30085 R_30085
description	condensing tray L 590mm W 105mm H 26mm plastic		

springs

tension springs


			
1			
No.	692082	Ref. No.	00781
description	torsion spring ø 16mm total length 123mm wire gauge ø 2mm L1 100mm		


			
1			
No.	692081	Ref. No.	00782
description	torsion spring ø 16mm total length 123mm wire gauge ø 2mm L1 100mm mounting pos. left		

valves and tank inlets



shut-off valves

universal

			
1			
No.	514060	Ref. No.	60902
description	shut-off valve connection 1/2" 1/2" without handle total length 45mm mounting pos. left shaft L 47mm rosette thread G2 26x19G shaft ø 8x10mm		
spare parts for	514060		
	No.	112763	Ref. No. —
	knob connection hot total lengthmm ø 70mm black/silver shaft ø 10x8mm shaft flat universal t.max.°C		
	No.	112764	Ref. No. —
	knob connection cold total lengthmm ø 70mm black/silver shaft ø 10x8mm shaft flat universal t.max.°C		
	No.	514085	Ref. No. —
	rosette connection 26x19G chrome-plated total lengthmm mounting pos.		
	No.	514086	Ref. No. —
	hexagonal nut connection 26x19G brass total lengthmm mounting pos. H 6mm WS 34 Qty 1 pcs		
	No.	548423	Ref. No. —
	tap head connection 1/2" total length 110mm mounting pos. shaft ø 10x8mm		

			
1			
No.	540935	Ref. No.	110120
description	shut-off valve connection tube ø 10mm total length 110mm shaft 7x7mm		
accessories for	540935		
	No.	110287	Ref. No. —
	knob water t.max.°C temperature range°C ø 50mm shaft ø 7x7mm shaft flat black		




			
1			
No.	541982	Ref. No.	115120
description	slide connection 1/2" IT - 1/2" IT mounting thread M27x1,5		
accessories for	541982		
	No.	547713	Ref. No.
	 cross handle shaft intake ø 8mm marking blue type F suitable for MONOLITH		

measuring equipment

thermometers

built-in thermometers

			
1			
No.	541670	Ref. No.	18683
description	thermometer mounting measurements 58x25,5mm -40 up to +40°C capillary pipe 1500mm probe ø 6mm probe L 35mm		